

LAGUNA

An Iconic Form With Timeless Simplicity



Designed by
MATTEO THUN & ANTONIO RODRIGUEZ

"The complexity of simplicity", as Matteo Thun defines it, is the search for a design solution. Enduring simplicity of form, in a cohesive collection of materials, colour and combinations that create wonderful opportunities for magnificently finished spaces.



THE MOODS OF LAGUNA



URBAN OASIS

Urban Oasis is all about high-end simplicity, elegance and sophistication.



LUXURY ALLURE

Luxury Allure brings together fine textures, and the tactile pleasures of quality materials.



COLOUR CHARISMA

Colour Charisma brings a fresh breeze of Mediterranean flair to the bathroom.



WOOD HAVEN

Wood Haven creates harmony through subtle, natural material combinations.

LAGUNA | COLOUR FINISHES



Lever: Black Chrome
Body: Black Matt
BBC



Lever: Gold Matt PVD
Body: Black Matt
BGM



Lever: Gold Bright PVD
Body: Gold Matt PVD
GMG



Chrome
CHR



Black Matt
BLM



Black Chrome
BCH



Gold Bright PVD
GBP



Gold Matt PVD
GMP



Blush Gold Bright PVD
BGP

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code LAG-CHR-91005B, 'CHR' notes Chrome Finish. If you wish to order the same product in Black Chrome, replace 'CHR' with 'BCH'. Thus the product code will be LAG-BCH-91005B.

Note: The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin



LAG-91011B

Single Lever Basin Mixer without Popup Waste, with 375mm Long Braided Hoses
Flow rate: 14.19 ℓ/min*



LAG-91011BWF

Single Lever Basin Mixer without Popup Waste, with 375mm Long Braided Hoses and Base Flange
Flow rate: 14.19 ℓ/min*



LAG-91011BCLW

Single Lever Basin Mixer without Popup Waste, with 375mm Long Braided Hoses & click clack waste (ALD-729)
Flow rate: 14.19 ℓ/min*



LAG-91011BCLWWF

Single Lever Basin Mixer without Popup Waste, with 375mm Long Braided Hoses, click clack waste (ALD-729) and Base Flange
Flow rate: 14.19 ℓ/min*



LAG-91051B

Single Lever Basin Mixer with Popup Waste & 375mm Long Braided Hoses
Flow rate: 14.19 ℓ/min*



LAG-91051BWF

Single Lever Basin Mixer with Popup Waste, 375mm Long Braided Hoses and Base Flange
Flow rate: 14.19 ℓ/min*



LAG-91023B

Single Lever Extended Basin Mixer (Height-128mm) without Popup Waste, with 375mm Long Braided Hoses
Flow rate: 14.80 ℓ/min*



LAG-91023BWF

Single Lever Extended Basin Mixer (Height-128mm) without Popup Waste, with 375mm Long Braided Hoses and Base Flange
Flow rate: 14.80 ℓ/min*



LAG-91052B

Single Lever Extended Basin Mixer (Height-128mm) with Popup Waste & 375mm Long Braided Hoses
Flow rate: 14.80 ℓ/min*



LAG-91052BWF

Single Lever Extended Basin Mixer (Height-128mm) with Popup Waste, 375mm Long Braided Hoses and Base Flange
Flow rate: 14.80 ℓ/min*

LAGUNA | FAUCETS

Single Lever | Basin



LAG-91005B

Single Lever High Neck Basin Mixer without Popup Waste, with 600mm Long Braided Hoses
Flow rate: 13.26 ℓ/min*



LAG-91005BWF

Single Lever High Neck Basin Mixer without Popup Waste, with 600mm Long Braided Hoses and Base Flange
Flow rate: 13.26 ℓ/min*



LAG-91027

Floor Mounted Single Lever Basin Mixer
Flow rate: 14.19 ℓ/min*



LAG-91231NK

Exposed Parts of Single Lever Built-in In-wall Manual Valve with basin spout, two separate wall flanges, cartridge Sleeve and operating lever (Compatible in wall parts ALD-233NPSO or ALD-235NPSO are sold separately)
Flow rate: 15.91 ℓ/min*



LAG-91233NK

Exposed Parts of Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-233N is sold separately)
Flow rate: 15.91 ℓ/min*



LAG-91235NK

Exposed Parts of Left Hand Side Operated Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-235N is sold separately)
Flow rate: 29.84 ℓ/min*

Single Lever | Bath & Shower



LAG-91147

Single Lever Shower Mixer with Provision For Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted
Flow rate: 25.88 ℓ/min*



LAG-91149

Single Lever Shower Mixer, Wall Mounted
Flow rate: 27.53 ℓ/min*



LAG-91065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



LAG-91079NK

Exposed Part Kit of Single Lever Hi Flow In-wall Diverter (Compatible In-wall part ALD-079N is sold separately)

Single Lever | Bath & Shower



LAG-91227K

Exposed Part Kit of Single Lever In-wall Manual Valve, 35mm Cartridge (Compatible In-wall parts ALD-227 or ALD-229 are sold separately)

Single Lever | Bidet



LAG-91213B

Single Lever Bidet Mixer with Popup Waste & 375mm Long Braided Hoses
Flow rate: 7.26 l/min*

Quarter Turn | Basin



LAG-91213BWF

Single Lever Bidet Mixer with Popup Waste, 375mm Long Braided Hoses and Base Flange
Flow rate: 7.26 l/min*



LAG-91189CSR

3-Hole Basin Mixer with Casted Spout, Round Handle and without Popup Waste System
Flow rate: 17.52 l/min*



LAG-91191CSR

3-Hole Basin Mixer with Casted Spout, Round Handle and Popup Waste System
Flow rate: 17.52 l/min*



LAG-91189CSL

3-Hole Basin Mixer with Casted Spout, Lever Handle and without Popup Waste System
Flow rate: 17.12 l/min*



LAG-91191CSL

3-Hole Basin Mixer with Casted Spout, Lever Handle and Popup Waste System
Flow rate: 17.12 l/min*



LAG-91189PSL

3-Hole Basin Mixer with Pipe Spout, Lever Handle and without Popup Waste System
Flow rate: 16.83 l/min*



LAG-91189PSR

3-Hole Basin Mixer with Pipe Spout, Round Handle and without Popup Waste System
Flow rate: 16.83 l/min*



LAG-91423C

In-wall Body of 3-Hole Basin Mixer (Without Exposed Parts)
Flow rate: 93.28 l/min*

LAGUNA | FAUCETS

Quarter Turn | Basin

Quarter Turn | Bath & Shower



LAG-91423K

Exposed Part Kit of In-wall 3-Hole
Basin Mixer with Basin Spout
(Compatible In-wall part LAG-91423C
is sold separately)
Flow rate: 17.90 l/min*



LAG-91287

5-Hole Bath & Shower Mixer,
Deck Mounted
Flow rate: 29.84 l/min*

Quarter Turn | Taps



LAG-91809

Deck Mounted Stop Valve
Flow rate: 28.41 l/min*



LAS-WHT-91801
Wall Hung Basin with
Fixing Accessories,
Size: 500×450×175 mm



LAS-WHT-91803
Wall Hung Basin with Fixing
Accessories,
Size: 800×500×175 mm

LAS-WHT-91301
Full Pedestal for
LAS-WHT-91801,
Size: 200×265×685 mm

LAS-WHT-91303
Full Pedestal for
LAS-WHT-91803, 91805,
Size: 210×310×685 mm



LAS-WHT-91805
Wall Hung Basin
with Fixing Accessories,
Size: 1000×500×185 mm



LAS-WHT-91901
Table Top Basin,
Size: 380×380×130 mm,
Shape: Square



LAS-WHT-91903
Table Top Basin,
Size: 450×450×130 mm,
Shape: Square



LAS-WHT-91905
Table Top Basin,
Size: 600×380×130 mm,
Shape: Rectangular



LAS-WHT-91701
Under Counter Basin
with Fixing Accessories,
Size: 450×450×170 mm,
Shape: Square



LAS-WHT-91703
Under Counter Basin
with Fixing Accessories,
Size: 600×450×170 mm,
Shape: Rectangular



LAS-WHT-91705
Under Counter Basin
with Fixing Accessories,
Size: 350×350×160 mm,
Shape: Round



LAS-WHT-91707
Under Counter Basin
with Fixing Accessories,
Size: 450×450×170 mm,
Shape: Round



LAS-WHT-91931
Table Top Basin
Size: 600×450×175 mm



LAS-WHT-91807
Wall Hung Basin with Fixing
Accessories,
Size: 600×450×175 mm

LAS-WHT-91301
Full Pedestal for
LAS-WHT-91801,
Size: 200×265×685 mm



LAS-WHT-91931W3TH
Table Top Basin,
with Three Tap Hole,
Size: 600×450×175 mm



LAS-WHT-91933
Table Top Basin,
Size: 800×500×175 mm



LAS-WHT-91933W3TH
Table Top Basin
with Three Tap Hole,
Size: 800×500×175 mm,



LAS-WHT-91953BIUFMS
Rimless Blind Installation
Wall Hung WC with UF Soft
Close Slim Seat Cover, Hinges,
Accessories Set,
Size: 370×525×350 mm



LAS-WHT-91153
Blind Installation
Wall Hung Bidet with
Fixing Accessories,
Size: 370×525×280 mm



LSA-BLM-91783FM
Stainless Steel Frame for
Wall Hung Basin with Towel
Rail and Rack with Wooden
Laminate (**Fountain Mist**)
(Compatible with
LAS-WHT-91803)



LSA-BLM-91785FM
Stainless Steel Frame for
Wall Hung Basin with Towel
Rail and Rack with Wooden
Laminate (**Fountain Mist**)
(Compatible with
LAS-WHT-91805)

ARC

Controlled Fluidity, Smooth Architecture
and Balanced Proportions





THE DESIGN LANGUAGE OF ARC

Designed by
FEDERICO MERONI


"In architecture you find this in the classic Roman Arc which, naturally, was a point of reference at the beginning of our creative process."

The simplicity of the arc combined with the complexity of a morphing section. One volume that play with the reassurance of a familiar geometry and the surprise of the water which, very naturally, in your hands.



INSPIRATION AND SKETCHES

The Arc collection of bathroom products draws inspiration from modern sculpture and the craftsmanship and precise detailing of fine silverware. It is a design that expresses an appreciation for form, function, subtlety of texture and quality of materials.



ARC | COLOUR FINISHES



Chrome
CHR



Black Chrome
BCH



Black Matt
BLM



Antique Copper
ACR



Graphite
GRF



Antique Bronze
ABR



Stainless Steel
Finish
SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ARC-CHR-87011B, 'CHR' notes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be ARC-BLM-87011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin



ARC-87011B

Joystick Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses
Flow rate: 11.77 l/min*



ARC-87011BCLW

Joystick Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 11.77 l/min*



ARC-87233K

Exposed Parts of Joystick Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Part ARC-87233C is Sold Separately)
Flow rate: 13.53 l/min*



ARC-87233C

In-Wall Body of Joystick Built-in Manual Valve for Wall Mounted Basin Mixer (without Exposed Parts)
Flow rate: 34.44 l/min*

Single Lever | Bath & Shower



ARC-87065K

Exposed Part Kit of Joystick In-Wall Diverter (Compatible In-Wall Part ARC-87065C is Sold Separately)



ARC-87065C

In-Wall Body of Joystick Diverter with 40 mm Cartridge (without Exposed Parts)
Flow rate: 32.17 l/min*

Single Lever | Bidet



ARC-87213B

Joystick Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 7.15 l/min*

Quarter Turn | Basin



ARC-87189

3 hole Basin Mixer without Popup Waste

Also available

ARC-87191

3 Hole Basin Mixer with Popup Waste
Flow rate: 14.38 l/min*



ARC-87433

3 Hole Basin Mixer Wall Mounted
Flow rate: 14.39 l/min*



ACS-WHT-87901
Table Top Basin,
Size: 575×430×175 mm



ACS-WHT-87801
Wall Hung Basin with
Fixing Accessories,
Size: 635×485×305 mm

NEW



ACS-WHT-87701
Under Counter Basin
with Fixing Accessories,
Size: 640×490×155 mm



ACS-WHT-87953BIUFSM
Rimless Blind Installation
Wall Hung WC with UF
Soft Close Slim Seat Cover,
Hinges, Accessories Set,
Size: 380×520×365 mm
Also available

ACS-WHM-87953BIUFSM
ACS-BLM-87953BIUFSM
ACS-GRM-87953BIUFSM



ACS-WHT-87153
Wall Hung Bidet with
Accessories Set,
Size: 385×520×340 mm

KUBIX PRIME

Classic Form Evolving into a Contemporary Silhouette



KUBIX PRIME | COLOUR FINISHES



Chrome
CHR



Antique Bronze
ABR



Antique Copper
ACR



Black Chrome
BCH



Black Matt
BLM



Graphite
GRF



Stainless Steel Finish
SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code KUP-CHR-35011BPM, 'CHR' notes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be KUP-BLM-35011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin



KUP-35011BPM

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses
Flow rate: 13.1 ℓ/min*



KUP-35011BPMCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 13.1 ℓ/min*



KUP-35051BPM

Single Lever Basin Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 13.1 ℓ/min*



KUP-35005BPM

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses
Flow rate: 13.1 ℓ/min*

Single Lever | Bath & Shower



KUP-35233NKPM

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 13.3 ℓ/min*




KUP-35115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted



KUP-35117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted
Flow rate: 21.89 ℓ/min*



KUP-35119PM

Single Lever Bath & Shower Mixer, Wall Mounted
Flow rate: 21.62 ℓ/min*



KUP-35119PMSHK

Single Lever Bath & Shower Mixer with Shower Kit (1657, 571 & 555) Wall Mounted
Flow rate: 21.90 ℓ/min*



KUP-35125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted
Flow rate: 20.14 ℓ/min*

KUBIX PRIME | FAUCETS

Single Lever | Bath & Shower



KUP-35149PM

Single Lever Shower Mixer,
Wall Mounted
Flow rate: 32 ℓ/min*



KUP-35783NKPM

Aquamax Exposed Part Kit of Single
Lever Shower Mixer with 3-way
diverter (Compatible In-wall Parts
ALD-783N or ALD-783NE are sold
separately)



KUP-35065MKPM

Exposed Part Kit of Single Lever
In-Wall Diverter (Compatible In-Wall
Part ALD-065M is Sold Separately)



KUP-35079NKPM

Exposed Part Kit of Single Lever
Hi-Flow In-Wall Diverter (Compatible
In-Wall Part ALD-079N is Sold
Separately)

Single Lever | Bidet



KUP-35227KPM

Exposed Part Kit of Single Lever
In-Wall Manual Valve, 35 mm
Cartridge (Compatible In-Wall Parts
ALD-227 or ALD-229 are Sold
Separately)



KUP-35213BPM

Single Lever Bidet Mixer with Popup
Waste & 375 mm Long Braided
Hoses
Flow rate: 7.58 ℓ/min*

Quarter Turn | Basin



KUP-35001PM

Basin Tap 1/2 Inch
Flow rate: 14.65 ℓ/min*



KUP-35021PM

High Neck Basin Tap
Flow rate: 14.29 ℓ/min*



KUP-35189PM

3 Hole Basin Mixer
without Popup Waste
Flow rate: 15.74 ℓ/min*



KUP-35191PM

3 Hole Basin Mixer with
Popup Waste
Flow rate: 15.74 ℓ/min*

Quarter Turn | Basin



KUP-35433PM
3 Hole Basin Mixer Wall Mounted
Flow rate: 13.22 ℓ/min*



KUP-35441KPM
Exposed Parts of In-Wall Single
Built-in Stop Valve with Basin Spout
(Compatible In-Wall Part ALD-441 is
Sold Separately)
Flow rate: 13.6 ℓ/min*

Quarter Turn | Bath & Shower



KUP-35223PM
H Type Bath Filler
Flow rate: 34.01 ℓ/min*



KUP-35275PM
H Type Bath and Shower Mixer
(without Shower & Shower Hose)
Flow rate: 28.17 ℓ/min*

Quarter Turn | Taps



KUP-35275PMSHK
H Type Bath and Shower Mixer with
Shower Kit (1657, 571 & 555)
Flow rate: 28.17 ℓ/min*



KUP-35037PM
Bib Tap with Wall Flange
Flow rate: 14.37 ℓ/min*



KUP-35041PM
2-Way Bib Tap with Wall Flange
Flow rate: 14.41 ℓ/min*



KUP-35053PM
Angle Valve with Wall Flange
Flow rate: 32.7 ℓ/min*



KUP-35083PM
In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm
(with Exposed and In-Wall Parts)
Flow rate: 68.39 ℓ/min*



KUP-35089PM
In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm
(with Exposed and In-Wall Parts)
Flow rate: 69.65 ℓ/min*

KUBIX PRIME | FAUCETS

Quarter Turn | Taps



KUP-35809PM

Deck Mounted Stop Valve

Flow rate: 30.55 ℓ/min*



KUS-WHT-35935
Table Top Basin,
Size: 565×425×140 mm



KUS-WHT-35901
Table Top Basin,
Size: 595×435×185 mm



KUS-WHT-35601
Counter Top Basin,
Size: 500×435×180 mm



KUS-WHT-35803
Wall Hung Integrated Basin
with Fixing Accessories,
Size: 490×430×390 mm



KUS-WHT-35401N
Floor Standing Basin with
Fixing Accessories,
Size: 510×460×860 mm



KUS-WHT-35603
Counter Top Basin,
Size: 610×470×170 mm



KUS-WHT-35851S300UF
Single Piece WC with UF Soft
Close Seat Cover, Hinges,
Dual Flush Cistern Fitting,
Fixing Accessories and
Accessories Set,
Size: 370×695×795 mm,
S Trap- 300 mm



KUS-WHT-35953BIUFWSM
Rimless, Blind Installation
Wall Hung WC with UF
Soft Close Slim Seat Cover,
Hinges, Accessories Set,
Also available
KUS-WHM-35953BIUFWSM
KUS-BLM-35953BIUFWSM
Size: 360×500×330 mm





KUS-WHT-35153PM

Wall Hung Bidet with
Accessories Set,
Size: 380×525×375 mm

OPAL PRIME

New, Modern, Minimalistic Style



OPAL PRIME | COLOUR FINISHES



Chrome
CHR



Antique Bronze
ABR



Antique Copper
ACR



Black Chrome
BCH



Black Matt
BLM



Graphite
GRF



Stainless Steel Finish
SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code OPP-CHR-15011BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be OPP-BLM-15011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin



OPP-15011BPM

Single Lever Basin Mixer without Pop-up Waste, with 375 mm Long Braided Hoses
Flow rate: 14.7 ℓ/min*
Registered design no.276010



OPP-15011BPMCLW

Single Lever Basin Mixer without Pop-up Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 14.7 ℓ/min*



OPP-15051BPM

Single Lever Basin Mixer with Pop-up Waste & 375 mm Long Braided Hoses
Flow rate: 14.7 ℓ/min*



OPP-15005BPM

Single Lever High Neck Basin Mixer without Pop-up Waste, with 600 mm Long Braided Hoses
Flow rate: 14.23 ℓ/min*

Single Lever | Bath & Shower



OPP-15233NKPM

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible in-Wall Parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 14.86 ℓ/min*



OPP-15115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted
Flow rate: 20.5 ℓ/min*



OPP-15119PM

Single Lever Bath & Shower Mixer, Wall Mounted
Flow rate: 20.46 ℓ/min*



OPP-15119PMSHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted
Flow rate: 19.82 ℓ/min*



OPP-15117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted
Flow rate: 20.46 ℓ/min*



OPP-15125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted
Flow rate: 19.82 ℓ/min*

OPAL PRIME | FAUCETS

Single Lever | Bath & Shower



OPP-15149PM

Single Lever Shower Mixer,
Wall Mounted
Flow rate: 32 l/min*



OPP-15227KPM

Exposed Part Kit of Single Lever
In-Wall Manual Valve, 35 mm
Cartridge (Compatible In-Wall Parts
ALD-227 or ALD-229 are Sold
Separately)



OPP-15065MKPM

Exposed Part Kit of Single Lever In-
Wall Diverter (Compatible In-Wall Part
ALD-065M is Sold Separately)



OPP-15079NKPM

Exposed Part Kit of Single Lever
Hi-Flow In-Wall Diverter (Compatible
In-Wall Part ALD-079N is Sold
Separately)

Single Lever | Kitchen



OPP-15783NKPM

Aquamax Exposed Part Kit of Single
Lever Shower Mixer with 3-way
diverter (Compatible In-wall Parts
ALD-783N or ALD-783NE are sold
separately)



OPP-15173BPM

Single Lever Mono Sink Mixer with
Swivel Spout & 375 mm Long Braided
Hoses
Flow rate: 16.25 l/min*

Single Lever | Bidet



OPP-15213BPM

Single Lever Bidet Mixer with Popup
Waste & 375 mm Long Braided Hoses
Flow rate: 7.15 l/min*

Quarter Turn | Basin



OPP-15001PM

Basin Tap 1/2 Inch
Flow rate: 16.79 l/min*



OPP-15021PM

High Neck Basin Tap
Flow rate: 16.79 l/min*



OPP-15433PM

3 Hole Basin Mixer Wall Mounted
Flow rate: 16.34 l/min*

Quarter Turn | Basin



OPP-15441KPM

Exposed Parts of In-Wall Single
Built-in Stop Valve with Basin Spout
(Compatible In-Wall Part ALD-441 is
Sold Separately)
Flow rate: 14.22 ℓ/min*

Quarter Turn | Bath & Shower



OPP-15223PM

H Type Bath Filler
Flow rate: 36.44 ℓ/min*



OPP-15275PM

H Type Bath and Shower Mixer
(without Shower & Shower Hose)
Flow rate: 29.18 ℓ/min*



OPP-15275PMSHK

H Type Bath and Shower Mixer with
Shower Kit (1653, 571 & 555)
Flow rate: 29.18 ℓ/min*

Quarter Turn | Taps



OPP-15037PM

Bib Tap with Wall Flange
Flow rate: 16.89 ℓ/min*



OPP-15041PM

2-Way Bib Tap with Wall Flange
Flow rate: 16.89 ℓ/min*



OPP-15053PM

Angle Valve with Wall Flange
Flow rate: 35.64 ℓ/min*



OPP-15083PM

In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm (with
Exposed and In-Wall Parts)
Flow rate: 59.97 ℓ/min*



OPP-15089PM

In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm (with
Exposed and In-Wall Parts)
Flow rate: 38.96 ℓ/min*



OPS-WHT-15901N
Thin Rim Table Top Basin,
Size: 480×480×135 mm,
Shape - Round



OPS-WHT-15905
Thin Rim Table Top Basin,
Size: 415×415×135 mm,
Shape - Round



OPS-WHT-15801
Wall Hung Basin with Fixing
Accessories,
Size: 585×485×195 mm

OPS-WHT-15305
Half Pedestal with Fixing
Accessories for
OPS-WHT-15801



OPS-WHT-15803
Wall Hung Integrated Basin
with Fixing Accessories,
Size: 530×460×400 mm



OPS-WHT-15851P180UFSMTL
Tankless Single Piece WC
With UF Soft Close Slim Seat
Cover, Hinges, Single flush with
Sensor & Manual operated, Fixing
Accessories and Accessories Set,
Size: 360×580×450 mm,
P Trap- 180 mm



OPS-WHT-15951UF
Wall Hung WC with UF Soft
Close Seat Cover, Hinges,
Accessories Set,
Size: 360×585×415 mm



OPS-WHT-15955P180UFSM
Rimless Back To Wall WC with
UF Soft Close Slim Seat Cover,
Hinges, Fixing Accessories and
Accessories Set,
Size: 370×580×430 mm,
P Trap- 180 mm



OPS-WHT-15851S300UF
Single Piece WC with UF Soft
Close Seat Cover, Hinges,
Single Flush Cistern Fitting,
Fixing Accessories and
Accessories Set,
Size: 380×660×785 mm,
S Trap- 300 mm



OPS-WHT-15753NS250UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Conversion Bend, Fixing Accessories Set, Size: 380×645×805 mm, S Trap- 250 mm (with Conversion Bend)



OPS-WHT-15753NP180UFSMZ

Rimless Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting and Fixing Accessories Set, Size: 380×645×805 mm, P Trap- 180 mm



OPS-WHT-15751S220UFSMZ

Bowl with Cistern for Coupled WC with UF Soft Close Slim Seat Cover, Hinges, Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 400×660×820 mm, S Trap- 220 mm



OPS-WHT-15851S285PP

Single Piece WC with PP Soft Close Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 405×705×690 mm, S Trap- 285 mm



OPS-WHT-15851S300UFSMTL

Tankless Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single flush with Sensor & Manual operated, Fixing Accessories and Accessories Set, Size: 360×580×450 mm, S Trap- 300 mm



OPS-WHT-15861S300UFSM

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 400×720×605 mm, S Trap- 300 mm



OPS-WHT-15853S300UF

Rimless Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×675×750 mm, S Trap- 300 mm

ORNAMIX PRIME

The Ring of Perfection





ORNAMIX PRIME | COLOUR FINISHES



Chrome
CHR



Antique Bronze
ABR



Antique Copper
ACR



Black Chrome
BCH



Black Matt
BLM



Graphite
GRF



Stainless Steel Finish
SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ORP-CHR-10011BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be ORP-BLM-10011BPM.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin



ORP-10011BPM

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses
Flow rate: 15.98 ℓ/min*
Registered design no.276012



ORP-10011BPMCLW

Single Lever Basin Mixer without
Popup- Waste, with 375 mm Long
Braided Hoses & Click-Clack-Waste
(ALD-729)
Flow rate: 15.98 ℓ/min*



ORP-10051BPM

Single Lever Basin Mixer with Popup
Waste & 375 mm Long Braided Hoses
Flow rate: 15.98 ℓ/min*
Registered design no.276012



ORP-10005BPM

Single Lever High Neck Basin Mixer
without Popup Waste, with 600 mm
Long Braided Hoses
Flow rate: 16.64 ℓ/min*
Registered design no.276012

Single Lever | Bath & Shower



ORP-10233NKPM

Exposed Parts of Single Lever Built-in
In-Wall Manual Valve with Basin
Spout (Compatible in wall Parts
ALD-233N or ALD-235N are Sold
Separately)
Flow rate: 14.83 ℓ/min*



ORP-10115PM

Single Lever Bath & Shower Mixer
with Provision for Connection to
Exposed Shower Pipe (SHA-1211N),
Wall Mounted
Flow rate: 15.79 ℓ/min*



ORP-10119PM

Single Lever Bath & Shower Mixer,
Wall Mounted
Flow rate: 15.1 ℓ/min*



ORP-10119PMSHK

Single Lever Bath & Shower Mixer
with Shower Kit (5537N, 571 & 555),
Wall Mounted
Flow rate: 20.54 ℓ/min*



ORP-10117PM

Single Lever Bath & Shower Mixer
with Provision for Overhead Shower
with 115 mm Long Bend Pipe on
Upper Side, Wall Mounted
Flow rate: 15.79 ℓ/min*
Registered design no.276011



ORP-10125PM

Single Lever Bath & Shower Mixer
3-in-1 System with Provision for both
Hand Shower and Overhead Shower
Complete with 115 mm Long Bend
Pipe on Upper Side, Wall Mounted
Flow rate: 19.82 ℓ/min*
Registered design no.276013

ORNAMIX PRIME | FAUCETS

Single Lever | Bath & Shower



ORP-10149PM

Single Lever Shower Mixer, Wall Mounted
Flow rate: 32 ℓ/min*



ORP-10783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-Wall Parts ALD-783 or ALD-783E are Sold Separately)



ORP-10065MKPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-065N is Sold Separately)



ORP-10079NKPM

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)

Single Lever | Kitchen



ORP-10227KPM

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)



ORP-10173BPM

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 14.25 ℓ/min*

Single Lever | Bidet

Quarter Turn | Basin



ORP-10213BPM

Single Lever Bidet Mixer with Popup-Waste & 375 mm Long Braided Hoses
Flow rate: 5.12 ℓ/min*



ORP-10001PM

Basin Tap 1/2 Inch
Flow rate: 19.19 ℓ/min*



ORP-10021PM

High Neck Basin Tap
Flow rate: 18.65 ℓ/min*



ORP-10433PM

3 Hole Basin Mixer Wall Mounted
Flow rate: 20.38 ℓ/min*

Quarter Turn | Basin

Quarter Turn | Bath & Shower



ORP-10441KPM

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately)



ORP-10223PM

H Type Bath Filler



ORP-10275PM

H Type Bath and Shower Mixer (without Shower & Shower Hose)



ORP-10275PMSHK

H Type Bath and Shower Mixer with Shower Kit (1653, 571 & 555)

Quarter Turn | Taps



ORP-10037PM

Bib Tap with Wall Flange



ORP-10041PM

2-Way Bib Tap with Wall Flange



ORP-10053PM

Angle Valve with Wall Flange



ORP-10083PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)



ORP-10089PM

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)



ONS-WHT-10801
Wall Hung Integrated Basin
with Fixing Accessories,
Size: 495×440×365 mm



ONS-WHT-10901
Table Top Basin,
Size: 425×425×145 mm

NEW



BI

ONS-WHT-10953BIUFWSM
Rimless, Blind Installation Wall
Hung WC with UF Soft Close Slim
Seat Cover, Hinges, Accessories
Set,
Size: 370×490×365 mm



BI

ONS-WHT-10961BIUFWSMTL
Tankless Wall Hung WC with
Sensor Flush, UF Soft Close
Slim Seat Cover, Hinges,
Accessories Set,
Size: 380×625×385 mm



ONS-WHT-10955P180UFSM
Rimless Back To Wall WC with
UF Soft Close Slim Seat Cover,
Hinges, Fixing Accessories
and Accessories Set, Size:
360×575×410 mm,
P Trap-180 mm



ONS-WHT-10853S300UFSM
Rimless Single Piece WC
with UF Soft Close Slim Seat
Cover, Hinges, Dual Flush
Cistern Fitting, Fixing
Accessories and Accessories
Set, Size: 385×720×710 mm,
S Trap-300 mm



ONS-WHT-10153
Blind Installation Wall Hung Bidet
with Accessories Set,
Size: 360×490×350 mm



ONS-WHT-10851S300UFSMTL
Tankless Single Piece WC
with UF Soft Close Slim Seat
Cover, Hinges, Single flush with
Sensor & Manual operated,
Fixing Accessories and
Accessories Set,
Size: 380×620×450 mm,
S Trap- 300 mm



ONS-WHT-10753NS250UFSMZ
Rimless Bowl With Cistern For
Coupled WC With UF Soft Close
Slim Seat Cover, Hinges, Conversion
Bend, Dual Flush Cistern Fitting, Fixing
Accessories And Accessories Set,
Size: 390×645×845 mm,
S Trap- 250 mm (With Conversion
Bend)



ONS-WHT-10753P180UFSMZ
Rimless Bowl With Cistern
For Coupled WC With UF Soft
Close Slim Seat Cover, Hinges,
Dual Flush Cistern Fitting, Fixing
Accessories,
Size: 390×645×845 mm,
P Trap- 180 mm



VIGNETTE PRIME

Inspiring Forms. Decorative Contours.



VIGNETTE PRIME | COLOUR FINISHES



Chrome
CHR



Antique Bronze
ABR



Antique Copper
ACR



Black Chrome
BCH



Black Matt
BLM



Graphite
GRF



Stainless Steel Finish
SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code VGP-CHR-81011B, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be VGP-BLM-81011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin



VGP-81011B

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses
Flow rate: 13.62 ℓ/min*



VGP-81011BCLW

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses & Click-Clack-Waste
(ALD-729)
Flow rate: 13.52 ℓ/min*



VGP-81051B

Single Lever Basin Mixer with Popup
Waste & 375 mm Long Braided Hoses
Flow rate: 13.52 ℓ/min*



VGP-81005NB

Single Lever High Neck Basin Mixer
without Popup Waste, with 600 mm
Long Braided Hoses
Flow rate: 13.8 ℓ/min*

Single Lever | Bath & Shower



VGP-81233NK

Exposed Parts of Single Lever Built-in
In-Wall Manual Valve with Basin
Spout (Compatible in-Wall Parts
ALD-233N or ALD-235N are Sold
Separately)
Flow rate: 15.52 ℓ/min*



VGP-81119

Single Lever Bath & Shower Mixer,
Wall Mounted
Flow rate: 18.6 ℓ/min*



VGP-81119SHK

Single Lever Bath & Shower Mixer
with Shower Kit (5537N,
571 & 555), Wall Mounted
Flow rate: 18.60 ℓ/min*



VGP-81145

Single Lever Shower Mixer with
Provision for Connection to Exposed
Shower Pipe (SHA-1211NH or SHA-
1213) & Hand Shower, Wall Mounted
Flow rate: 22.23 ℓ/min*



VGP-81147

Single Lever Shower Mixer with
Provision for Connection to
Exposed Shower Pipe (SHA-1211N),
Wall Mounted
Flow rate: 33.26 ℓ/min*



VGP-81149

Single Lever Shower Mixer,
Wall Mounted
Flow rate: 31.78 ℓ/min*

VIGNETTE PRIME | FAUCETS

Single Lever | Bath & Shower



VGP-81783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



VGP-81065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



VGP-81079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



VGP-81227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



VGP-81165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted
Flow rate: 14.29 l/min*



VGP-81173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 14.45 l/min*

Single Lever | Bidet



VGP-81213B

Single Lever Bidet Mixer with Popup-Waste & 375 mm Long Braided Hoses
Flow rate: 7.15 l/min*

Quarter Turn | Basin



VGP-81001

Basin Tap 1/2 Inch
Flow rate: 14.6 l/min*



VGP-81021N

High Neck Basin Tap
Flow rate: 14.78 l/min*



VGP-81433

3 Hole Basin Mixer
Wall Mounted
Flow rate: 14.71 l/min*

Quarter Turn | Basin

Quarter Turn | Bath & Shower



VGP-81441K
Exposed Parts of In-Wall Single
Built-in Stop Valve with Basin Spout
(Compatible In-Wall Part ALD-441 is
Sold Separately)
Flow rate: 14.22 ℓ/min*



VGP-81421
2-way In-Wall diverter with Built-in
Non-Return Valve (with In-Wall &
Exposed Parts)
Flow rate: 52.64 ℓ/min*



VGP-81223
H Type Bath Filler
Flow rate: 35.78 ℓ/min*



VGP-81275
H Type Bath and Shower Mixer
(without Shower & Shower Hose)
Flow rate: 22.00 ℓ/min*

Quarter Turn | Taps



VGP-81275SHK
H Type Bath and Shower Mixer with
Shower Kit (5537N, 571 & 555)
Flow rate: 22.00 ℓ/min*



VGP-81037
Bib Tap with Wall Flange
Flow rate: 14.65 ℓ/min*



VGP-81041
2-Way Bib Tap with Wall Flange
Flow rate: 14.3 ℓ/min*



VGP-81053
Angle Valve with Wall Flange
Flow rate: 50.44 ℓ/min*



VGP-81083
In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm
(with Exposed and In-Wall Parts)
Flow rate: 68.39 ℓ/min*



VGP-81089
In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm
(with Exposed and In-Wall Parts)
Flow rate: 69.65 ℓ/min*



VGS-WHT-81931N
Table Top Basin,
Size: 600×385×195 mm



VGS-WHT-81953UF
Rimless Wall Hung WC with
UF Soft Close Seat Cover,
Hinges, Accessories Set,
Size: 390×570×365 mm



VGS-WHT-81853S300UF
Rimless Single Piece
WC with UF Soft Close
Seat Cover, Hinges, Dual
Flush Cistern Fitting, Fixing
Accessories and Accessories
Set, Size: 395×710×730 mm,
S Trap- 300 mm



VGS-WHT-81853P180UF
Rimless Single Piece
WC with UF Soft Close
Seat Cover, Hinges, Dual
Flush Cistern Fitting, Fixing
Accessories and Accessories
Set, Size: 395×710×730 mm,
P Trap- 180 mm



VGS-WHT-81851S300UF
Single Piece WC with UF
Soft Close Seat Cover,
Hinges, Dual Flush Cistern
Fitting, Fixing Accessories
and Accessories Set, Size:
380×710×740 mm,
S Trap- 300 mm



VGS-WHT-81753P180UFSMZ
Rimless Bowl with Cistern for
Coupled WC with UF Soft Close
Slim Seat Cover, Hinges, Dual
Flush Cistern Fitting, Fixing
Accessories and Accessories Set,
Size: 380×610×805 mm,
P Trap- 180 mm



VGS-WHT-81753S250UFSMZ
Rimless Bowl with Cistern for
Coupled WC with UF Soft Close
Slim Seat Cover, Hinges, Dual
Flush Cistern Fitting, Conversion
Bend, Fixing Accessories and
Accessories Set,
Size: 380×610×805 mm,
S Trap- 250 mm
(with Conversion Bend)



VGS-WHT-81861S300UFSMZ
Single Piece WC with UF Soft
Close Slim Seat Cover, Hinges,
Single Side Flush Cistern
Fitting, Fixing Accessories and
Accessories Set,
Size: 370×690×615 mm,
S Trap- 300 mm



VGS-WHT-81153
Wall Hung Bidet with
Accessories Set,
Size: 400×580×335 mm



VGS-WHT-81151
Floor Mounted Bidet with
Fixing Accessories,
Size: 380×605×385 mm

ALIVE

The Beauty of Asymmetry





Chrome
CHR



Antique Bronze
ABR



Antique Copper
ACR



Black Chrome
BCH



Black Matt
BLM



Graphite
GRF



Stainless Steel Finish
SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code ALI-CHR-85011B, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be ALI-BLM-85011B.

The finishes depicted here are only indicative and may differ from that on the actual product.

ALIVE | FAUCETS

Single Lever | Basin



ALI-85011B

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses
Flow rate: 13.48 ℓ/min*



ALI-85011BCLW

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses & Click-Clack-Waste
(ALD-729)
Flow rate: 13.48 ℓ/min*



ALI-85051B

Single Lever Basin Mixer with Popup-
Waste & 375 mm Long Braided Hoses
Flow rate: 13.48 ℓ/min*



ALI-85005B

Single Lever High Neck Basin Mixer
without Popup Waste, with 600 mm
Long Braided Hoses
Flow rate: 12.34 ℓ/min*

Single Lever | Bath & Shower



ALI-85233NK

Exposed Parts of Single Lever Built-in
In-Wall Manual Valve with Basin
Spout (Compatible In-Wall Parts
ALD-233N or ALD-235N are Sold
Separately)
Flow rate: 14.76 ℓ/min*



ALI-85119

Single Lever Bath & Shower Mixer,
Wall Mounted
Flow rate: 15.96 ℓ/min*



ALI-85119SHK

Single Lever Bath & Shower Mixer
with Shower Kit (85537, 571 & 555),
Wall Mounted
Flow rate: 15.96 ℓ/min*



ALI-85783NK

Aquamax Exposed Part Kit of Single
Lever Shower Mixer with 3-way
diverter (Compatible In-wall Parts
ALD-783N or ALD-783NE are sold
separately)



ALI-85065MK

Exposed Part Kit of Single Lever
In-wall Diverter (Compatible In-wall
part ALD-065M is sold separately)



ALI-85079NK

Exposed Part Kit of Single Lever
Hi-Flow In-Wall Diverter (Compatible
In-Wall Part ALD-079N is Sold
Separately)

Single Lever | Bath & Shower



ALI-85227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Bidet



ALI-85213B

Single Lever Bidet Mixer with Popup Waste, & 375 mm Long Braided Hoses
Flow rate: 5.16 l/min*

Quarter Turn | Basin



ALI-85001

Basin Tap 1/2 Inch
Flow rate: 15 l/min*



ALI-85021

High Neck Basin Tap
Flow rate: 15 l/min*

Quarter Turn | Bath & Shower



ALI-85223

H Type Bath Filler
Flow rate: 24.16 l/min*



ALI-85275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 19.57 l/min*

Quarter Turn | Taps



ALI-85275SHK

H Type Bath and Shower Mixer with Shower Kit (85537, 571 & 555)
Flow rate: 19.57 l/min*



ALI-85037

Bib Tap with Wall Flange
Flow rate: 15.23 l/min*



ALI-85041

2-Way Bib Tap with Wall Flange
Flow rate: 14.78 l/min*



ALI-85053

Angle Valve with Wall Flange
Flow rate: 42.44 l/min*

ALIVE | FAUCETS

Quarter Turn | Taps



ALI-85083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)
Flow rate: 47.00 l/min*



ALI-85089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)
Flow rate: 47.00 l/min*

ALIVE | SANITARYWARE



ALS-WHT-85601

Counter Top Basin
SIZE: 705×460×195 mm

QUEEN'S PRIME

Regal Elegance of the Victorian Era



A MAJESTIC LEGACY

Designed to evoke the regal elegance of the Victorian era, the original form of the Queen's range has now been updated for the modern era with graceful lines and a sleek, slender, updated silhouette.





HAMPTON

"Bridge the past and the present with a lighter palette of wood and pastels, along with crafted embellishments."



BALMORAL

"Fusing softer colours and harder surfaces, this bathroom achieves a fine balance of materials and textures."



BUCKINGHAM

"Infuse timelessness with stately greys, classic browns and the inclusion of nature's green touch."



WINDSOR

"Classy, contemporary, clean lines combine with the muted natural tones of tender leaves and young stems."



OSBORNE

"The purity of white and geometric patterns come together to complement the femininity of Queen's Prime."

QUEEN'S PRIME | COLOUR FINISHES



Chrome
CHR



Antique Bronze
ABR



Antique Copper
ACR



Black Chrome
BCH



Black Matt
BLM



Graphite
GRF



Stainless Steel Finish
SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code QQP-CHR-7051BPM, 'CHR' connotes Chrome Finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be QQP-BLM-7051BPM. The finishes depicted here are only indicative and may differ from that on the actual product.

Single Lever | Basin



QQP-7001BPM

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses



QQP-7001BPMCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 14.70 ℓ/min*

Single Lever | Bath & Shower



QQP-7051BPM

Single Lever Basin Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 14.70 ℓ/min*



QQP-7065MKPM

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)

Single Lever | Bidet



QQP-7079NKPM

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



QQP-7213BPM

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses

Quarter Turn | Basin



QQP-7011PM

Basin Tap 1/2 Inch
Flow rate: 16.30 ℓ/min*



QQP-7167BPM

Monoblock Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses



QQP-7169BPM

Monoblock Basin Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 18.20 ℓ/min*



QQP-7189PM

3 hole Basin Mixer without Popup Waste
Flow rate: 16.50 ℓ/min

QUEEN'S PRIME | FAUCETS

Quarter Turn | Basin



QQP-7191PM

3 Hole Basin Mixer with Popup Waste
Flow rate: 16.50 l/min*



QQP-7433PM

3 Hole Basin Mixer Wall Mounted
Flow rate: 15.90 l/min*

Quarter Turn | Bath & Shower



QQP-7217PM

Bath & Shower Mixer with Provision
for Connection to Exposed Shower
Pipe (SHA-1211N), Wall Mounted
Flow rate: 31.00 l/min*



QQP-7215PM

Shower Mixer with Provision for
Connection to Exposed Shower Pipe
(SHA-1211NH or SHA-1213) & Hand
Shower, Wall Mounted
Flow rate: 36.32 l/min*



QQP-7267PM

Bath & Shower Mixer with Connector
for Hand Shower & Wall Bracket,
Wall Mounted
Flow rate: 31.00 l/min*



QQP-7281PM

Bath & Shower Mixer 3-in-1 System
with Provision for Hand Shower &
Overhead Shower Complete with 115
mm Long Bend Pipe, Wall Mounted
Flow rate: 25.30 l/min*



QQP-7209PM

Shower Mixer
Flow rate: 72.20 l/min*



QQP-7271PM

Bath & Shower Mixer with Telephone
Shower Crutch (without Shower &
Shower Hose), Deck Mounted
Flow rate: 31.00 l/min*

Quarter Turn | Kitchen



QQP-7271PMHL

Bath & Shower Mixer with Telephone
Shower Crutch & 950 mm High Rise
Legs (without Shower & Shower
Hose), Deck Mounted
Flow rate: 31.00 l/min*



QQP-7307PM

Sink Mixer with Short Swivel Spout,
Wall Mounted
Flow rate: 19.00 l/min*

Quarter Turn | Kitchen



QQP-7309PM

Sink Mixer with Regular Swivel Spout,
Wall Mounted
Flow rate: 17.00 ℓ/min*



QQP-7347PM

Sink Tap with Regular Swivel Spout
Flow rate: 18.20 ℓ/min*

Quarter Turn | Taps



QQP-7037PM

Bib Tap with Wall Flange
Flow rate: 16.40 ℓ/min*



QQP-7041PM

2-Way Bib Tap with Wall Flange
Flow rate: 16.40 ℓ/min**



QQP-7053PM

Angle Valve with Wall Flange
Flow rate: 45.10 ℓ/min*



QQP-7083PM

In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm (with
Exposed and In-Wall Parts)
Flow rate: 47.00 ℓ/min*



QQP-7089PM

In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm (with
Exposed and In-Wall Parts)
Flow rate: 47.00 ℓ/min*



QPS-WHT-7803PM
Wall Hung Basin with
Fixing Accessories,
Size: 610×465×275 mm

QPS-WHT-7303PM
Full Pedestal for
QPS-WHT-7803PM



QPS-WHT-7701PM
Under Counter Basin with
Fixing Accessories,
Size: 590×430×215 mm



QPS-WHT-7901PM
Table Top Basin,
Size: 600×460×195 mm



QPS-WHT-7953UFPM
Rimless Wall Hung WC with
UF Soft Close Seat Cover,
Hinges, Accessories Set,
Size: 420×560×370 mm



QPS-WHT-7753P180UFSPMZ
Rimless Bowl with Side Flush
Cistern for Coupled WC, UF Soft
Close Seat Cover, Hinges, Single
Flush Cistern Fitting and Fixing
Accessories,
Size: 420×710×810 mm,
P Trap- 180 mm



QPS-WHT-7753P180UFPMZ
Rimless Bowl with Cistern for
Coupled WC, UF Soft Close
Seat Cover, Hinges, Dual
Flush Cistern Fitting and Fixing
Accessories,
Size: 420×710×810 mm,
P Trap- 180 mm



QPS-WHT-7753S250UFSPMZ
Rimless Bowl with Side Flush Cistern
for Coupled WC, UF Soft Close Seat
Cover, Hinges, Conversion Bend,
Single Flush Cistern Fitting and
Fixing Accessories,
Size: 420×710×810 mm,
S Trap- 250 mm
(with Conversion Bend)



QPS-WHT-7753S250UFPMZ
Rimless Bowl with Cistern for
Coupled WC, UF Soft Close
Seat Cover, Hinges, Dual Flush
Cistern Fitting, Conversion
Bend and Fixing Accessories,
Size: 420×710×810 mm,
S Trap- 250 mm
(with Conversion Bend)



QPS-WHT-7955P180UFPM

Rimless Back to Wall WC
with UF Soft Close Seat Cover,
Hinges, Fixing Accessories
and Accessories Set,
Size: 410×570×420 mm,
P Trap- 180 mm



QPS-WHT-7151PM

Floor Mounted Bidet with
Fixing Accessories,
Size: 410×570×420 mm



QPS-WHT-7153PM

Wall Hung Bidet,
Size: 420×560×370 mm

—
QUEEN'S





Chrome
CHR



Antique Bronze
ABR



Antique Copper
ACR



Black Chrome
BCH



Black Matt
BLM



Graphite
GRF



Stainless Steel Finish
SSF

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code QQT-CHR-7011, 'CHR' connotes Chrome finish. If you wish to order the same product in Black Matt, replace 'CHR' with 'BLM'. Thus the product code will be QQT-BLM-7011.

The finishes depicted here are only indicative and may differ from that on the actual product.

QUEEN'S | FAUCETS

Quarter Turn | Basin



QQT-7011

Basin Tap 1/2 Inch
Flow rate: 22.1 l/min*



QQT-7167B

Monoblock Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses
Flow rate: 21.32 l/min*



QQT-7169B

Monoblock Basin Mixer with Popup
Waste & 375 mm Long Braided Hoses
Flow rate: 21.32 l/min*



QQT-7189

3 Hole Basin Mixer without Popup
Waste
Flow rate: 31.39 l/min*

Quarter Turn | Bath & Shower



QQT-7191

3 Hole Basin Mixer with Popup Waste
Flow rate: 31.39 l/min*



QQT-7217

Bath & Shower Mixer with Provision
for Connection to Exposed Shower
Pipe (SHA-1211N), Wall Mounted
Flow rate: 39.39 l/min*



QQT-7267

Bath & Shower Mixer with Connector
for Hand Shower & Wall Bracket,
Wall Mounted
Flow rate: 39.27 l/min*



QQT-7267SHK

Bath & Shower Mixer with Telephone
Shower Crutch & Shower Kit
(9537N & 571), Wall Mounted
Flow rate: 39.27 l/min*



QQT-7281

Bath & Shower Mixer 3-in-1 System
with Provision for Hand Shower &
Overhead Shower Complete with 115
mm Long Bend Pipe, Wall Mounted
Flow rate: 29.65 l/min*



QQT-7215

Shower Mixer with Provision for
Connection to Exposed Shower Pipe
(SHA-1211NH or SHA-1213) & Hand
Shower, Wall Mounted
Flow rate: 52.72 l/min*



QQT-7209
Shower Mixer
Flow rate: 73.3 l/min*




QQT-7219
Bath Filler, Wall Mounted
Flow rate: 35.53 l/min*



QQT-7421
2-way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts)
Flow rate: 45.55 l/min*



QQT-7095
Bath Tub Filler Consisting of 2 Control Valves and Spout
Flow rate: 58.91 l/min*



QQT-7221
Bath Filler
Flow rate: 35.13 l/min*



QQT-7271
Bath & Shower Mixer with Telephone Shower Crutch (without Shower & Shower Hose), Deck Mounted
Flow rate: 39.31 l/min*



QQT-7271SHK
Bath & Shower Mixer with Telephone Shower Crutch & Shower Kit (9537N & 571), Deck Mounted
Flow rate: 39.31 l/min*



QQT-7271HL
Bath & Shower Mixer with Telephone Shower Crutch & 950 mm High Rise Legs (without Shower & Shower Hose), Deck Mounted
Flow rate: 39.31 l/min*



QQT-7271HLSHK
Bath & Shower Mixer with Telephone Shower Crutch, 950 mm High Rise Legs & Shower Kit (9537N & 571), Deck Mounted
Flow rate: 39.31 l/min*



QQT-7277
4-Hole Bath & Shower Mixer with 1.5 M Shower Hose and Old Fashioned Shower Handle
Flow rate: 31.5 l/min*

QUEEN'S | FAUCETS

Quarter Turn | Kitchen



QQT-7309

Sink Mixer with Regular Swivel Spout,
Wall Mounted
Flow rate: 23.25 l/min*



QQT-7319B

Mono Sink Mixer with Swivel High
Neck Spout & 375 mm Long Braided
Hoses
Flow rate: 23.30 l/min*

Quarter Turn | Bidet



QQT-7347

Sink Tap with Regular Swivel Spout
Flow rate: 22.13 l/min*



QQT-7613B

Monoblock Bidet Mixer with Popup Waste
& 375 mm Long Braided Hoses
Flow rate: 5.39 l/min*

Quarter Turn | Taps



QQT-7037

Bib Tap with Wall Flange
Flow rate: 22.17 l/min*



QQT-7041

2-Way Bib Tap with Wall Flange
Flow rate: 19.45 l/min*



QQT-7053

Angle Valve with Wall Flange
Flow rate: 46.36 l/min*



QQT-7083

In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm
(with Exposed and In-Wall Parts)
Flow rate: 68.39 l/min*



QQT-7089

In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm
(with Exposed and In-Wall Parts)
Flow rate: 69.65 l/min*


RENDEZVOUS



RENDEZVOUS | COLOUR FINISHES



Chrome
CHR



Auric Gold
GLD

If you wish to place orders for the different colour finishes of this range shown above, just replace the colour code in the middle of the product code with the colour code of your choice. For instance, in the product code CTL-CHR-8011, 'CHR' connotes Chrome finish. If you wish to order the same product in Auric Gold, replace 'CHR' with 'GLD'. Thus the product code will be CTL-GLD-8011.

The finishes depicted here are only indicative and may differ from that on the actual product.

Quarter Turn | Basin



CTL-8011
Basin Tap 1/2 Inch
Flow rate: 22.14 ℓ/min*



CTL-8169B
Monoblock Basin Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 21.95 ℓ/min*

Quarter Turn | Bath & Shower



CTL-8217
Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted
Flow rate: 39.39 ℓ/min*



CTL-8267
Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted
Flow rate: 39.27 ℓ/min*



CTL-CHR-8267SHK
Bath & Shower Mixer with Telephone Shower Crutch & Shower Kit (9537N & 571), Wall Mounted
Flow rate: 18.15 ℓ/min*



CTL-8281
Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted
Flow rate: 18.15 ℓ/min*

Quarter Turn | Bidet



CTL-8209
Shower Mixer
Flow rate: 94.00 ℓ/min*



CTL-8613B
Monoblock Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 7.35 ℓ/min*

Quarter Turn | Taps



CTL-8037
Bib Tap with Wall Flange
Flow rate: 22.68 ℓ/min*



CTL-8041
2-Way Bib Tap with Wall Flange
Flow rate: 19.45 ℓ/min*

RENDEZVOUS | FAUCETS

Quarter Turn | Taps



CTL-8053

Angle Valve with Wall Flange
Flow rate: 47.00 l/min*



CTL-8083

In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm (with
Exposed and In-Wall Parts)
Flow rate: 68.39 l/min*

D'ARC

Understated Elegance. Defined Workmanship





DRS-WHT-37601
Counter Top Basin,
Size: 615×415×150 mm



BI

DRS-WHT-37953BIUFMS
Rimless, Blind Installation Wall
Hung WC with UF Soft Close
Slim Seat Cover, Hinges and
Accessories Set,
Size: 355×525×380 mm

ARIA

Resplendent Style. Free-Flowing Design.



ARIA | FAUCETS

Single Lever | Basin



ARI-39001B

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses
Flow rate: 15 ℓ/min*



ARI-39001BCLW

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses & click clack waste
(ALD-729)



ARI-39051B

Single Lever Basin Mixer with Popup
Waste, & 375 mm Long Braided Hoses
Flow rate: 15.02 ℓ/min*



ARI-39005B

Single Lever High Neck Basin Mixer
without Popup Waste, with 600 mm
Long Braided Hoses
Flow rate: 15 ℓ/min*

Single Lever | Bath & Shower



ARI-39233NK

Exposed Parts of Single Lever Built-in
In-Wall Manual Valve with Basin
Spout (Compatible In-Wall Parts
ALD-233N or ALD-235N are Sold
Separately)
Flow rate: 15.18 ℓ/min*



ARI-39119

Single Lever Bath & Shower Mixer,
Wall Mounted
Flow rate: 15.15 ℓ/min*



ARI-39119SHK

Single Lever Bath & Shower Mixer
with Shower Kit (35537, 571 & 555),
Wall Mounted
Flow rate: 15.40 ℓ/min*



ARI-39145

Single Lever Shower Mixer with
Provision for Connection to Exposed
Shower Pipe (SHA-1211NH or SHA-
1213) & Hand Shower, Wall Mounted
Flow rate: 22.25 ℓ/min*



ARI-39147

Single Lever Shower Mixer with
Provision for Connection to
Exposed Shower Pipe (SHA-1211N),
Wall Mounted
Flow rate: 33.18 ℓ/min*



ARI-39149

Single Lever Shower Mixer,
Wall Mounted
Flow rate: 32 ℓ/min*

Single Lever | Bath & Shower



ARI-39783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



ARI-39065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



ARI-39079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



ARI-39227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



ARI-39165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted
Flow rate: 13.95 l/min*



ARI-39173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 14.45 l/min*

Single Lever | Bidet



ARI-39213B

Single Lever Bidet Mixer with Pop-up Waste & 375 mm Long Braided Hoses
Flow rate: 16.71 l/min*

Quarter Turn | Basin



ARI-39011

Basin Tap 1/2 Inch
Flow rate: 15.14 l/min*



ARI-39021

High Neck Basin Tap
Flow rate: 14.88 l/min*



ARI-39433

3 Hole Basin Mixer
Wall Mounted
Flow rate: 14.78 l/min*

ARIA | FAUCETS

Quarter Turn | Basin

Quarter Turn | Bath & Shower



ARI-39441K

Exposed Parts of In-Wall Single
Built-in Stop Valve with Basin Spout
(Compatible In-Wall Part ALD-441 is
Sold Separately)
Flow rate: 16.71 ℓ/min*



ARI-39421

2-way In-Wall Diverter
with Built-in Non-Return Valve
(with In-Wall & Exposed Parts)
Flow rate: 52.82 ℓ/min*



ARI-39223

H Type Bath Filler
Flow rate: 36.24 ℓ/min*



ARI-39275

H Type Bath and Shower
Mixer (without Shower &
Shower Hose)
Flow rate: 31.66 ℓ/min*

Quarter Turn | Kitchen



ARI-39275SHK

H Type Bath and Shower Mixer
with Shower Kit (1717, 571 & 555)
Flow rate: 31.66 ℓ/min*



ARI-39309

Sink Mixer with Regular Swivel Spout,
Wall Mounted
Flow rate: 15.53 ℓ/min*

Quarter Turn | Taps



ARI-39347S

Sink Tap with Regular Swivel Spout
Flow rate: 14.47 ℓ/min*



ARI-39037

Bib Tap with Wall Flange
Flow rate: 14.46 ℓ/min*



ARI-39041

2-Way Bib Tap with Wall Flange
Flow rate: 14.68 ℓ/min*



ARI-39053

Angle Valve with Wall Flange
Flow rate: 47.38 ℓ/min*



ARI-39083

In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm
(with Exposed and In-Wall Parts)
Flow rate: 68.39 l/min*



ARI-39089

In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm
(with Exposed and In-Wall Parts)
Flow rate: 69.65 l/min*



ARS-WHT-39901
Table Top Basin,
Size: 420×420×135 mm



ARS-WHT-39803
Wall Hung Integrated Basin
with Fixing Accessories,
Size: 500×440×385 mm



ARS-WHT-39801
Wall Hung Basin with
Fixing Accessories,
Size: 570×470×190 mm
ARS-WHT-39301
Full Pedestal for
ARS-WHT-39801



ARS-WHT-39801
Wall Hung Basin
with Fixing Accessories,
Size: 570×470×190 mm

ARS-WHT-39305
Half Pedestal with Fixing
Accessories for
ARS-WHT-39801



ARS-WHT-39903
Table Top Basin,
Size: 700×435×135 mm



ARS-WHT-39951UFSM
Wall Hung WC with UF
Soft Close Slim Seat Cover,
Hinges, Accessories Set,
Size: 360×580×360 mm



ARS-WHT-39953BI-UFSM
Rimless, Blind Installation
Wall Hung WC with UF
Soft Close Slim Seat Cover,
Hinges, Accessories Set,
Size: 345×495×365 mm



BI



ARS-WHT-39961NBIUFSMTL
Tankless Wall Hung WC with
Sensor and Lazer Light Flush, With
Battery and Electric Operated, UF
Soft Close Slim Seat Cover, Hinges,
Accessories Set,
Size: 360×590×385 mm

BI



ARS-WHT-39955P180UFSM

Rimless Back to Wall WC with
UF Soft Close Slim Seat Cover,
Hinges, Fixing Accessories and
Accessories Set,
Size: 360×605×410 mm,
P Trap-180 mm



ARS-WHT-39153

Wall Hung Bidet
with Accessories Set,
Size: 360×570×340 mm



ARS-WHT-39155

**Blind Installation Wall Hung
Bidet** with Accessories Set,
Size: 350×490×340 mm



ARS-WHT-39751S250UFSMZ

Bowl with Cistern for Coupled WC
with UF Soft Close Slim Seat Cover,
Hinges, Dual Flush Cistern Fitting,
Fixing Accessories and Accessories
Set, Size: 375×650×800 mm,
S Trap- 250 mm



ARS-WHT-39151N

Floor Mounted Bidet
With Fixing Accessories,
Size: 360×600×400 mm



ARS-WHT-39751P180UFSMZ

Bowl with Cistern for Coupled WC
with UF Soft Close Slim Seat Cover,
Hinges, Dual Flush Cistern Fitting,
Fixing Accessories and Accessories
Set,
Size: 375×650×800 mm,
P Trap- 180 mm



ARS-WHT-39751S240UFSMZ

**Bowl with Cistern for Coupled
WC** with UF Soft Close Slim Seat
Cover, Hinges, Dual Flush Cistern
Fitting, Fixing Accessories and
Accessories Set,
Size: 375×650×800 mm,
S Trap- 240 mm



ARS-WHT-39851S300UFSMTL

Tankless Single Piece WC with UF
Soft Close Slim Seat Cover, Hinges,
Single Flush with Sensor & Manual
operated, Fixing Accessories and
Accessories Set,
Size: 360×590×450 mm,
S Trap- 300 mm



ARS-WHT-39851P180UFSMTL

Tankless Single Piece WC with
UF Soft Close Slim Seat Cover,
Hinges, Single flush with Sensor
Operated, Fixing Accessories and
Accessories Set,
Size: 360×590×450 mm,
P Trap- 180 mm

LYRIC

A Minimalistic Classic. Typically Smooth.





LYRIC | FAUCETS

Single Lever | Basin



LYR-38001B

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses
Flow rate: 14.80 ℓ/min*



LYR-38001BCLW

Single Lever Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses & Click-Clack-Waste
(ALD-729)
Flow rate: 14.80 ℓ/min*



LYR-38051B

Single Lever Basin Mixer with
Popup Waste, & 375 mm
Long Braided Hoses
Flow rate: 14.8 ℓ/min*



LYR-38005B

Single Lever High Neck Basin Mixer
without Popup Waste, with 600 mm
Long Braided Hoses
Flow rate: 14.8 ℓ/min*

Single Lever | Bath & Shower



LYR-38233NK

Exposed Parts of Single Lever Built-in
In-Wall Manual Valve with Basin
Spout (Compatible In-Wall Parts
ALD-233N or ALD-235N are Sold
Separately)
Flow rate: 13.84 ℓ/min*



LYR-38119

Single Lever Bath & Shower Mixer,
Wall Mounted
Flow rate: 15.36 ℓ/min*



LYR-38119SHK

Single Lever Bath & Shower Mixer
with Shower Kit (35537, 571 & 555),
Wall Mounted
Flow rate: 15.36 ℓ/min*



LYR-38145

Single Lever Shower Mixer with
Provision for Connection to Exposed
Shower Pipe (SHA-1211NH or SHA-
1213) & Hand Shower, Wall Mounted
Flow rate: 22.23 ℓ/min*



LYR-38147

Single Lever Shower Mixer with
Provision for Connection to Exposed
Shower Pipe (SHA-1211N),
Wall Mounted
Flow rate: 33.26 ℓ/min*



LYR-38149

Single Lever Shower Mixer,
Wall Mounted
Flow rate: 32 ℓ/min*

Single Lever | Bath & Shower



LYR-38783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



LYR-38065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



LYR-38079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



LYR-38227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



LYR-38165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted
Flow rate: 13.95 l/min*



LYR-38173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 15.12 l/min*

Single Lever | Bidet



LYR-38213B

Single Lever Bidet Mixer with Popup Waste, & 375 mm Long Braided Hoses
Flow rate: 6.94 l/min*

Quarter Turn | Basin



LYR-38011

Basin Tap 1/2 Inch
Flow rate: 14.7 l/min*



LYR-38021

High Neck Basin Tap
Flow rate: 15.41 l/min*



LYR-38433

3 Hole Basin Mixer
Wall Mounted
Flow rate: 14.78 l/min*

LYRIC | FAUCETS

Quarter Turn | Basin

Quarter Turn | Bath & Shower



LYR-38441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately)
Flow rate: 16.71 l/min*



LYR-38421

2-way In-Wall Diverter with Built-in Non-Return valve (with In-Wall & Exposed Parts)
Flow rate: 52.82 l/min*

Quarter Turn | Kitchen



LYR-38309

Sink Mixer with Regular Swivel Spout, Wall Mounted
Flow rate: 15.53 l/min*



LYR-38347S

Sink Tap with Regular Swivel Spout
Flow rate: 14.47 l/min*

Quarter Turn | Taps



LYR-38037

Bib Tap with Wall Flange
Flow rate: 15.14 l/min*



LYR-38041

2-Way Bib Tap with Wall Flange
Flow rate: 14.87 l/min*



LYR-38053

Angle Valve with Wall Flange
Flow rate: 47.38 l/min*



LYR-38083

In-wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-wall parts)
Flow rate: 68.39 l/min*



LYR-38089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)
Flow rate: 69.65 l/min*



LYS-WHT-38901N
Thin Rim Table Top Basin,
Size: 600×410×100 mm,
Shape - Triangular



LYS-WHT-38931
Table Top Basin,
Size: 635×410×120 mm



LYS-WHT-38801
Wall Hung Basin with Fixing
Accessories,
Size: 590×490×185 mm
LYS-WHT-38301
Full Pedestal for
LYS-WHT-38801



LYS-WHT-38801
Wall Hung Basin with
Fixing Accessories,
Size: 590×490×185 mm
LYS-WHT-38305
Half Pedestal with
Fixing Accessories for
LYS-WHT-38801



LYS-WHT-38953BIUFSM
Rimless, Blind Installation Wall Hung
WC with UF Soft Close Slim Seat
Cover, Hinges, Accessories Set,
Size: 360×500×360 mm



LYS-WHT-38851S300UFSMN
Single Piece WC with UF Soft
Close Slim Seat Cover, Hinges,
Dual Flush Cistern Fitting, Fixing
Accessories and Accessories Set,
Size: 370×670×720 mm,
S Trap- 300 mm



LYS-WHT-38851S220UFSMN
Single Piece WC with UF Soft
Close Slim Seat Cover, Hinges,
Dual Flush Cistern Fitting, Fixing
Accessories and Accessories Set,
Size: 370×670×720 mm,
S Trap- 220 mm



LYS-WHT-38751S250UFSMZ
Bowl with Cistern for Coupled WC
with UF Soft Close Slim Seat Cover,
Hinges, Dual Flush Cistern Fitting,
Fixing Accessories and Accessories
Set,
Size: 380×655×765 mm,
S Trap- 250 mm



LYS-WHT-38851P180UFSM

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories, Size: 360×655×765 mm, P Trap- 180 mm



LYS-WHT-38851S220UFSMSNR

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Sensor & Manual Operated Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370×670×720 mm, S Trap- 220 mm



LYS-WHT-38851S300UFSMSNR

Single Piece WC with UF Soft Close Slim Seat Cover, Hinges, Sensor & Manual Operated Single Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 370×670×720 mm, S Trap- 300 mm



FUSION

Solidarity with Solid Lines and Circles

FUSION | FAUCETS

Single Lever | Basin



FUS-29023B

Single Lever Extended Basin Mixer (Height-85 mm) without Popup Waste, with 375 mm Long Braided Hoses
Flow rate: 15.89 ℓ/min*



FUS-29023BCLW

Single Lever Extended Basin Mixer (Height-85 mm) without Popup Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 15.89 ℓ/min*



FUS-29052B

Single Lever Extended Basin Mixer (Height-85 mm) with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 15.89 ℓ/min*



FUS-29005NB

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses
Flow rate: 15.93 ℓ/min*



FUS-29009B

Single Lever High Neck Basin Mixer with Swivel Spout & 600 mm Long Braided Hoses
Flow rate: 15.13 ℓ/min*



FUS-29231NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall Parts ALD-233NPSO or ALD-235NPSO are Sold Separately)
Flow rate: 13.87 ℓ/min*

Single Lever | Bath & Shower



FUS-29233NK

Exposed Parts of Single Lever Built-in In-Wall Manual Valve with Basin Spout (Compatible In-Wall Parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 15 ℓ/min*



FUS-29119

Single Lever Bath & Shower Mixer, Wall Mounted
Flow rate: 21.03 ℓ/min*



FUS-29119SHK

Single Lever Bath & Shower Mixer with Shower Kit (5537N, 571 & 555), Wall Mounted
Flow rate: 21.03 ℓ/min*



FUS-29145

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted
Flow rate: 22.28 ℓ/min*

Single Lever | Bath & Shower



FUS-29147

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted
Flow rate: 33.24 ℓ/min*



FUS-29149

Single Lever Shower Mixer, Wall Mounted
Flow rate: 34.4 ℓ/min*



FUS-29135

Single Lever High Flow Built-in In-Wall Manual Valve with Bath Spout (with Exposed and In-Wall Parts)
Flow rate: 29.16 ℓ/min*



FUS-29137

Single Lever High Flow Built-in In-Wall Manual Valve with Diverter Bath Spout (with Exposed and In-Wall Parts)
Flow rate: 25.1 ℓ/min*



FUS-29783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



FUS-29065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



FUS-29079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



FUS-29227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



FUS-29139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts)
Flow rate: 33.85 ℓ/min*



FUS-29163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted
Flow rate: 16.44 ℓ/min*

FUSION | FAUCETS

Single Lever | Kitchen



FUS-29165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted
Flow rate: 13.95 ℓ/min*



FUS-29173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 14.45 ℓ/min*

Single Lever | Bidet



FUS-29213B

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 7.15 ℓ/min*

Quarter Turn | Basin



FUS-29001

Basin Tap 1/2 Inch
Flow rate: 17.78 ℓ/min*



FUS-29021N

High Neck Basin Tap
Flow rate: 17.8 ℓ/min*



FUS-29433

3 Hole Basin Mixer Wall Mounted
Flow rate: 15.1 ℓ/min*

Quarter Turn | Bath & Shower



FUS-29441K

Exposed Parts of In-Wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall Part ALD-441 is Sold Separately)
Flow rate: 14.22 ℓ/min*



FUS-29267

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted
Flow rate: 39.42 ℓ/min*



FUS-29267SHK

Bath & Shower Mixer (Wall Mounted) with Connector for Hand Shower, Plastic Coated Shower Hose, Hand Shower & Wall Bracket, (571, 5537N & 555)
Flow rate: 39.42 ℓ/min*



FUS-29427

2-Way Diverter with Hot & Cold In-Wall Stop Valves and Built-in Non-Return Valves (with Exposed and In-Wall Parts)
Flow rate: 42.24 ℓ/min*

Quarter Turn | Bath & Shower



FUS-29421

2-Way In-Wall Diverter with Built-in Non-Return Valve (with In-Wall & Exposed Parts)
Flow rate: 45.55 l/min*



FUS-29223

H Type Bath Filler
Flow rate: 56.98 l/min*



FUS-29275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 42.23 l/min*



FUS-29275SHK1

H Type Bath and Shower Mixer with Shower Kit (5537N, 571 & 555)
Flow rate: 32.23 l/min*

Quarter Turn | Taps



FUS-29037

Bib Tap with Wall Flange
Flow rate: 18.92 l/min*



FUS-29041

2-Way Bib Tap with Wall Flange
Flow rate: 17.81 l/min*



FUS-29053

Angle Valve with Wall Flange
Flow rate: 66.66 l/min*



FUS-29083

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall Parts)
Flow rate: 68.39 l/min*



FUS-29089

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall Parts)
Flow rate: 69.65 l/min*



FUS-29809

Deck Mounted Stop Valve
Flow rate: 30.55 l/min*



FSS-WHT-29901
Table Top Basin,
Size: 470×470×110 mm



FSS-WHT-29601
Counter Top Basin,
Size: 545×545×180 mm



FSS-WHT-29951PP
Wall Hung WC with PP Soft
Close Seat Cover, Hinges,
Accessories Set,
Size: 415×585×400 mm



FSS-WHT-29853S300UFSM
Rimless Single Piece WC with
UF Soft Close Slim Seat Cover,
Hinges, Dual Flush Cistern
Fitting, Fixing Accessories and
Accessories Set,
Size: 380×670×765 mm,
S Trap- 300 mm

— FONTE

Exquisite Design. Sublime Purity.





FNS-WHT-40931
Table Top Basin,
Size: 500×415×200 mm



FNS-WHT-40701
Under Counter Basin with
Fixing Accessories,
Size: 605×410×200 mm,
Shape: Rectangular

Full pedestal basin

Half pedestal basin



FNS-WHT-40801
Wall Hung Basin with Fixing
Accessories,
Size: 620×480×185 mm
FNS-WHT-40301
Full Pedestal For
FNS-WHT-40801



FNS-WHT-40801
Wall Hung Basin with Fixing
Accessories,
Size: 620×480×185 mm
FNS-WHT-40305
Half Pedestal With Fixing
Accessories For FNS-WHT-40801



FNS-WHT-40953UF
Rimless Wall Hung WC with
UF Soft Close Seat Cover,
Hinges, Accessories Set,
Size: 350×580×390 mm



FNS-WHT-40751P180UFSMZ
Bowl with Cistern for Coupled WC
with UF Soft Close Slim Seat Cover,
Hinges, Dual Flush Cistern Fitting
and Fixing Accessories,
Size: 365×630×750 mm,
P Trap-180 mm



FNS-WHT-40751S220UFSMZ
Bowl with Cistern for Coupled
WC with UF Soft Close Slim Seat
Cover, Hinges, Dual Flush Cistern
Fitting and Fixing Accessories and
Accessories Set,
Size: 365×630×750 mm,
S Trap-220 mm

SOLO

Proud and Elegant.
Creating an Impression.



SOLO | FAUCETS

Single Lever | Basin



SOL-6001B

Single Lever Basin Mixer without
Popup Waste, 375 mm Long
Braided Hoses
Flow rate: 15.53 ℓ/min*



SOL-6001BCLW

Single Lever Basin Mixer without
Popup Waste, 375 mm Long
Braided Hoses & Click-Clack-Waste
(ALD-729)
Flow rate: 15.53 ℓ/min*



SOL-6051B

Single Lever Basin Mixer with
Popup Waste & 375 mm Long
Braided Hoses
Flow rate: 15.2 ℓ/min*



SOL-6231NK

Exposed Parts of Single Lever Built-in
In-Wall Manual Valve with Basin
Spout, Two Separate Wall Flanges,
Cartridge Sleeve and Operating
Lever (Compatible In-Wall Parts
ALD-233NPSO or ALD-235NPSO are
Sold Separately)

Single Lever | Bath & Shower



SOL-6233NK

Exposed Parts of Single Lever Built-in
In-Wall Manual Valve with Basin
Spout (Compatible In-Wall Parts
ALD-233N or ALD-235N are Sold
Separately)
Flow rate: 13.6 ℓ/min*



SOL-6119

Single Lever Bath & Shower Mixer,
Wall Mounted
Flow rate: 22.9 ℓ/min*



SOL-6119SHK

Single Lever Bath & Shower Mixer
with Shower Kit (5537N, 571 & 555),
Wall Mounted
Flow rate: 21.03 ℓ/min*



SOL-6145

Single Lever Shower Mixer with
Provision for Connection to
Exposed Shower Pipe (SHA-1211NH
or SHA-1213) & Hand Shower,
Wall Mounted
Flow rate: 22.23 ℓ/min*



SOL-6147

Single Lever Shower Mixer with
Provision for Connection to
Exposed Shower Pipe (SHA-1211N),
Wall Mounted
Flow rate: 33.26 ℓ/min*



SOL-6149

Single Lever Shower Mixer,
Wall Mounted
Flow rate: 34.3 ℓ/min*

Single Lever | Bath & Shower



SOL-6135

Single Lever High Flow Built-in In-Wall Manual Valve with Bath Spout (with Exposed and In-Wall Parts)
Flow rate: 30.47 ℓ/min*



SOL-6137

Single Lever High Flow Built-in In-Wall Manual Valve with Diverter Bath Spout (with Exposed and In-Wall Parts)
Flow rate: 25.3 ℓ/min*



SOL-6065MK

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



SOL-6079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall Part ALD-079N is Sold Separately)



SOL-6139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts)
Flow rate: 33.79 ℓ/min*



SOL-6227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall Parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



SOL-6163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted
Flow rate: 16.44 ℓ/min*



SOL-6165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted
Flow rate: 13.95 ℓ/min*

Single Lever | Bidet



SOL-6173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 14.45 ℓ/min*



SOL-6213B

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses
Flow rate: 7.01 ℓ/min*

SOLO | FAUCETS

Quarter Turn | Basin



SOL-6011

Basin Tap 1/2 Inch
Flow rate: 17.11 ℓ/min*



SOL-6021

High Neck Basin Tap
Flow rate: 17.1 ℓ/min*



SOL-6167B

Monoblock Basin Mixer without
Popup Waste, with 375 mm Long
Braided Hoses
Flow rate: 15.6 ℓ/min*



SOL-6169B

Monoblock Basin Mixer with
Popup Waste & 375 mm Long
Braided Hoses
Flow rate: 14.15 ℓ/min*



SOL-6189

3 hole Basin Mixer without
Popup Waste
Flow rate: 14.99 ℓ/min*



SOL-6191

3 Hole Basin Mixer with Popup Waste
Flow rate: 14.99 ℓ/min*



SOL-6433

3 Hole Basin Mixer Wall Mounted
Flow rate: 15.1 ℓ/min*



SOL-6441K

Exposed Parts of In-Wall Single
Built-in Stop Valve with Basin Spout
(Compatible In-Wall Part ALD-441 is
Sold Separately)
Flow rate: 14.31 ℓ/min*

Quarter Turn | Bath & Shower



SOL-6217

Bath & Shower Mixer with Provision
for Connection to Exposed Shower
Pipe (SHA-1211N), Wall Mounted
Flow rate: 39.42 ℓ/min*



SOL-6267

Bath & Shower Mixer with Connector
for Hand Shower & Wall Bracket,
Wall Mounted
Flow rate: 39.42 ℓ/min*



SOL-6267SHK

Bath & Shower Mixer (Wall Mounted) with Connector for Hand Shower, Plastic Coated Shower Hose, Hand Shower & Wall Bracket, (571, 5537N & 555)
Flow rate: 31.55 l/min*



SOL-6215

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted
Flow rate: 52.61 l/min*



SOL-6209

Shower Mixer
Flow rate: 94.00 l/min*



SOL-6435

Built-in Two In-Wall Stop Valves with Bath Spout (with Exposed and In-Wall Parts)
Flow rate: 29.94 l/min*



SOL-6437

Built-in Two In-Wall Stop Valves with Diverter Spout (with Exposed and In-Wall Parts)
Flow rate: 26.86 l/min*



SOL-6421

2-Way In-Wall Diverter with Built-in Non-Return valve (with In-Wall & Exposed Parts)
Flow rate: 45.55 l/min*



SOL-6095

Bath Tub Filler Consisting of 2 Control Valves and Spout
Flow rate: 58.91 l/min*



SOL-6221

Bath Filler
Flow rate: 36.79 l/min*



SOL-6223

H Type Bath Filler
Flow rate: 36.13 l/min*



SOL-6275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 29.82 l/min*

SOLO | FAUCETS

Quarter Turn | Bath & Shower



SOL-6275SHK1
H Type Bath and Shower Mixer with
Shower Kit (5537N, 571 & 555)
Flow rate: 29.82 ℓ/min*



SOL-6271
Bath & Shower Mixer with Telephone
Shower Crutch, Deck Mounted
Flow rate: 39.42 ℓ/min*

Quarter Turn | Kitchen



SOL-6271SHK1
Bath & Shower Mixer with Telephone
Shower Crutch & Shower Kit
(5537N & 571), Deck Mounted
Flow rate: 39.42 ℓ/min*



SOL-6309
Sink Mixer with Swivel Spout,
Wall Mounted
Flow rate: 18.15 ℓ/min*



SOL-6319B
Mono Sink Mixer with Swivel Spout &
375 mm Long Braided Hoses
Flow rate: 14.9 ℓ/min*



SOL-6347
Sink Tap with Swivel Spout
Flow rate: 18.8 ℓ/min*



SOL-6357
Sink Pillar Tap with Swivel Spout
Flow rate: 17.5 ℓ/min*



SOL-6359
Sink Pillar Tap with Angular Knob &
Swivel Spout
Flow rate: 17.88 ℓ/min*

Quarter Turn | Bidet



SOL-6613B
Monoblock Bidet Mixer with Popup
Waste & 375 mm Long Braided Hoses
Flow rate: 6.97 ℓ/min*

Quarter Turn | Taps



SOL-6037
Bib Tap (Angular Shape) with Wall
Flange
Flow rate: 18.18 ℓ/min*

Quarter Turn | Taps



SOL-6047
Bib Tap (Straight Line Model)
with Wall Flange
Flow rate: 18.21 ℓ/min*



SOL-6041
2-Way Bib Tap with Wall Flange
Flow rate: 21.33 ℓ/min*



SOL-6053
Angle Valve with Wall Flange
Flow rate: 70.91 ℓ/min*



SOL-6083
In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm
(with Exposed and In-Wall Parts)
Flow rate: 68.39 ℓ/min*



SOL-6089
In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm
(with Exposed and In-Wall Parts)
Flow rate: 69.65 ℓ/min*



SOL-6809
Deck Mounted Stop Valve
Flow rate: 30.55 ℓ/min*



SLS-WHT-6901
Table Top Basin,
Size: 485×370×150 mm



SLS-WHT-6601
Counter Top Basin,
Size: 600×400×185 mm



SLS-WHT-6905
Thin Rim Table Top Basin,
Size: 360×360×120 mm,
Shape - Round



SLS-WHT-6801
Wall Hung Basin with Fixing
Accessories,
Size: 575×465×200 mm

SLS-WHT-6301
Full Pedestal for
SLS-WHT-6801



SLS-WHT-6801
Wall Hung Basin with Fixing
Accessories,
Size: 575×465×200 mm
SLS-WHT-6305
Half Pedestal with
Fixing Accessories for
SLS-WHT-6801



SLS-WHT-6953BIPPSM
Rimless, Blind Installation
Wall Hung WC with PP Soft
Close Seat Cover,
Hinges and Accessories Set,
Size: 375×520×400 mm



SLS-WHT-6851S110PP
Single Piece WC with PP Soft
Close Seat Cover, Hinges,
Dual Flush Cistern Fitting,
Fixing Accessories and
Accessories Set,
Size: 360×640×685 mm,
S Trap- 110 mm



SLS-WHT-6851P180PP
Single Piece WC with PP Soft
Close Seat Cover, Hinges,
Dual Flush Cistern Fitting and
Fixing Accessories,
Size: 360×640×685 mm,
P Trap- 180 mm



SLS-WHT-6851S220PP

Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×640×685 mm, S Trap- 220 mm



SLS-WHT-6851S300PP

Single Piece WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×730×740 mm, S Trap- 300 mm



SLS-WHT-6851S300UF

Single Piece WC with UF Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×730×740 mm, S Trap- 300 mm



SLS-WHT-6751S220PPZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375×650×790 mm, S Trap- 220 mm



SLS-WHT-6751S240PPZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375×650×790 mm, S Trap- 240 mm



SLS-WHT-6751P180PPZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 375×650×790 mm, P Trap- 180 mm



SLS-WHT-6151N

Floor Mounted Bidet with Fixing Accessories, Size: 380×530×400 mm



SLS-WHT-6153N

Wall Hung Bidet with Accessories Set, Size: 385×525×360 mm



SLS-WHT-6951JUFSM

Wall Hung WC with In Built Jet, UF Soft Close Slim Seat, Hinges, Accessories Set, Size: 365×525×400 mm



SLS-WHT-6953BIUFSM

Rimless, Blind Installation Wall Hung WC With UF Soft Close Slim Seat Cover, Hinges And Accessories Set, Size: 375×520×400 mm



SLS-WHM-6953BIUFSM

Rimless, Blind Installation Wall Hung WC In White Matt With UF Soft Close Slim Seat Cover, Hinges And Accessories Set, Size: 375×520×400 mm



SLS-BLM-6953BIUFSM

Rimless, Blind Installation Wall Hung WC In Black Matt With UF Soft Close Slim Seat Cover, Hinges And Accessories Set, Size: 375×520×400 mm

FLORENTINE

Heralding Perfection In Straight Lines



FLORENTINE | FAUCETS

Single Lever | Basin



FLR-5001B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses
Flow rate: 16 l/min*



FLR-5001BCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 16 l/min*



FLR-5063B

Single Lever Basin Mixer (Small Spout) with Pop-Up-Waste & 375 mm Long Braided Hoses
Also available

FLR-5003B

Single Lever Basin Mixer (Small Spout) without Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 15.96 l/min*



FLR-5025B

Single Lever Mini Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses
Flow rate: 10.75 l/min*



FLR-5051B

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 16 l/min*



FLR-5026B

Single Lever Mini Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 10.75 l/min*



FLR-5005NB

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses
Flow rate: 16 l/min*



FLR-5009B

Single Lever High Neck Basin Mixer with Swivel Spout & 600 mm Long Braided Hoses
Flow rate: 13.46 l/min*



FLR-5231NK

Exposed Parts of Single Lever Built-In In-Wall Manual Valve with Basin Spout, Two Separate Wall Flanges, Cartridge Sleeve and Operating Lever (Compatible In-Wall parts ALD-233NPSO or ALD-235NPSO are Sold Separately)
Flow rate: 13.60 l/min*



FLR-5233NK

Exposed Parts of Single Lever Built-In In-Wall Manual Valve with Basin Spout (Compatible In-Wall parts ALD-233N or ALD-235N are Sold Separately)
Flow rate: 14.22 l/min*



FLR-5119
Single Lever Bath & Shower Mixer,
Wall Mounted
Flow rate: 22.78 ℓ/min*



FLR-5119SHK
Single Lever Bath & Shower Mixer
with Shower Kit (5537N, 571 & 555),
Wall Mounted
Flow rate: 24.51 ℓ/min*



FLR-5123
Single Lever High-Flow Bath &
Shower Mixer, Wall Mounted
Flow rate: 26.75 ℓ/min*



FLR-5145
Single Lever Shower Mixer with
Provision for Connection to Exposed
Shower Pipe (SHA-1211NH or SHA-
1213) & Hand Shower, Wall Mounted
Flow rate: 24.57 ℓ/min*



FLR-5147
Single Lever Shower Mixer with
Provision for Connection to Exposed
Shower Pipe (SHA-1211N),
Wall Mounted
Flow rate: 33.09 ℓ/min*



FLR-5149
Single Lever Shower Mixer,
Wall Mounted
Flow rate: 34.90 ℓ/min*



FLR-5135
Single Lever High-Flow Built-In
In-Wall Manual Valve with Bath Spout
(with Exposed and In-Wall parts)
Flow rate: 30.53 ℓ/min*



FLR-5137
Single Lever High-Flow Built-In In-Wall
Manual Valve with Diverter Bath Spout
(with Exposed and In-Wall parts)
Flow rate: 24.51 ℓ/min*



FLR-5783NK
Aquamax Exposed Part Kit of Single
Lever Shower Mixer with 3-way
diverter (Compatible In-wall Parts
ALD-783N or ALD-783NE are sold
separately)



FLR-5065MK
Exposed Part Kit of Single Lever
In-wall Diverter (Compatible In-wall part
ALD-065M is sold separately)

FLORENTINE | FAUCETS

Single Lever | Bath & Shower



FLR-5079NK

Exposed Part Kit of Single Lever Hi-Flow In-Wall Diverter (Compatible In-Wall part ALD-079N is Sold Separately)



FLR-5139

Single Lever In-Wall Manual Shower Valve, 40 mm Cartridge (with In-Wall & Exposed Parts)
Flow rate: 33.85 l/min*



FLR-5227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)



FLR-5129

Single Lever Bath & Shower Mixer, Deck Mounted
Flow rate: 36.79 l/min*

Single Lever | Kitchen



FLR-5133

Single Lever Hi-Flow Bath & Shower Mixer, Deck Mounted
Flow rate: 26.75 l/min*



FLR-5163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted
Flow rate: 16.44 l/min*



FLR-5165

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted
Flow rate: 13.95 l/min*



FLR-5173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 15.12 l/min*



FLR-5177B

Mono Sink Mixer with Pull-out Handspray & 375 mm Long Braided Hoses
Flow rate: Spout 13.52 l/min*
Shower: 10.49 l/min*



FLR-5179B

Side Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 13.9 l/min*

Single Lever | Bidet



FLR-5213B

Single Lever Bidet Mixer with
Pop-Up-Waste & 375 mm Long
Braided Hoses
Flow rate: 7 ℓ/min*

Quarter Turn | Basin



FLR-5011N

Basin Tap 1/2 Inch
Flow rate: 21.33 ℓ/min*



FLR-5015

Lift Type Operating Knob Basin
Tap 1/2 Inch
Flow rate: 12.4 ℓ/min*



FLR-5021M

High Neck Basin Tap
Flow rate: 18.11 ℓ/min*



FLR-5167NB

Monoblock Basin Mixer without
Pop-Up-Waste & 375 mm Long
Braided Hoses

Also available

FLR-5169NB

Monoblock Basin Mixer with
Pop-Up-Waste & 375 mm Long
Braided Hoses
Flow rate: 16.83 ℓ/min*




FLR-5189N

3 Hole Basin Mixer without
Pop-Up-Waste
Flow rate: 15.37 ℓ/min*



FLR-5191N

3 Hole Basin Mixer with
Pop-Up-Waste
Flow rate: 15.37 ℓ/min*



FLR-5433N

3 Hole Basin Mixer Wall Mounted
Flow rate: 15.52 ℓ/min*

Quarter Turn | Bath & Shower



FLR-5441NK

Exposed Parts of In-Wall Single
Built-In Stop Valve with Basin Spout
(Compatible In-Wall part ALD-441 is
Sold Separately)
Flow rate: 14.22 ℓ/min*



FLR-5217N

Bath & Shower Mixer with Provision
for Connection to Exposed Shower
Pipe (SHA-1211N), Wall Mounted
Flow rate: 39.42 ℓ/min*

FLORENTINE | FAUCETS

Quarter Turn | Bath & Shower




FLR-5267N

Bath & Shower Mixer with Connector for Hand Shower & Wall Bracket, Wall Mounted
Flow rate: 39.42 l/min*



FLR-5215N

Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted
Flow rate: 55.32 l/min*



FLR-5435N

Built-In Two In-Wall Stop Valves with Bath Spout (with Exposed and In-Wall parts)
Flow rate: 33.27 l/min*



FLR-5437N

Built-In Two In-Wall Stop Valves with Diverter Spout (with Exposed and In-Wall parts)
Flow rate: 17.64 l/min*



FLR-5427N

2-Way Diverter with Hot & Cold In-Wall Stop Valves and Built-In Non-Return Valves (with Exposed and In-Wall parts)
Flow rate: 42.24 l/min*



FLR-5421N

2-Way In-Wall Diverter with Built-In Non-Return Valve (with In-Wall & Exposed Parts)
Flow rate: 45.55 l/min*



FLR-5095N

Bath Tub Filler Consisting of 2 Control Valves and Spout
Flow rate: 58.91 l/min*



FLR-5221

Bath Filler
Flow rate: 36.79 l/min*



FLR-5223

H Type Bath Filler
Flow rate: 36.13 l/min*



FLR-5275

H Type Bath and Shower Mixer (without Shower & Shower Hose)
Flow rate: 29.82 l/min*

Quarter Turn | Bath & Shower



FLR-5275SHK1
H Type Bath and Shower Mixer with
Shower Kit (5537N, 571 & 555)
Flow rate: 29.82 ℓ/min*



FLR-5271N
Bath & Shower Mixer with Telephone
Shower Crutch, Deck Mounted
Flow rate: 38.28 ℓ/min*



FLR-5277N
4-Hole Bath & Shower Mixer, Deck
Mounted
Flow rate: 20.02 ℓ/min*



FLR-5277A
5-Hole Bath & Shower Mixer,
Deck Mounted

Quarter Turn | Kitchen



FLR-5309N
Sink Mixer with Regular Swivel
Spout, Wall Mounted
Flow rate: 19.34 ℓ/min*



FLR-5319NB
Mono Sink Mixer with Swivel
Extended Spout & 375 mm Long
Braided Hoses
Flow rate: 18 ℓ/min*



FLR-5347N
Sink Tap with Regular Swivel Spout
Flow rate: 17.64 ℓ/min*



FLR-5357N
Sink Pillar Tap with Swivel Spout
Flow rate: 16.75 ℓ/min*

Quarter Turn | Bidet



FLR-5355N
Sink Pillar Tap with Provision for
Connection to RO from Rear Side
& Swinging Spout
Flow rate: 14.43 ℓ/min*



FLR-5613NB
Monoblock Bidet Mixer with Pop-Up-
Waste & 375 mm Long Braided Hoses
Flow rate: 7 ℓ/min*

FLORENTINE | FAUCETS

Quarter Turn | Taps



FLR-5037N

Bib Tap (Angular Shape) with Wall Flange
Flow rate: 20.96 ℓ/min*



FLR-5047N

Bib Tap (Straight Line Model) with Wall Flange
Flow rate: 17.8 ℓ/min*



FLR-5041N

2-Way Bib Tap with Wall Flange
Flow rate: 17.96 ℓ/min*



FLR-5053N

Angle Valve with Wall Flange
Flow rate: 70.91 ℓ/min*



FLR-5083N

In-Wall Stop Valve with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts)
Flow rate: 68.39 ℓ/min*



FLR-5089N

In-Wall Stop Valve with Adjustable Wall Flange, Size 20 mm (with Exposed and In-Wall parts)
Flow rate: 69.65 ℓ/min*



FLR-5809

Deck Mounted Stop Valve
Flow rate: 18.57 ℓ/min*



FLS-WHT-5931
Table Top Basin,
Size: 520×360×125 mm



FLS-WHT-5601
Counter Top Basin,
Size: 570×420×195 mm



FLS-WHT-5701
Under Counter Basin with
Fixing Accessories,
Size: 560×430×195 mm,
Shape: Oval



FLS-WHT-5801
Wall Hung Basin with Fixing
Accessories,
Size: 585×450×220 mm

FLS-WHT-5301
Full Pedestal for
FLS-WHT-5801



FLS-WHT-5953UFSM
Rimless Wall Hung WC with
UF Soft Close Slim Seat Cover,
Hinges, Accessories Set,
Size: 355×555×370 mm



FLS-WHT-5953JUFSM
Rimless Wall Hung WC
with Inbuilt Jet, UF Soft Close
Slim Seat Cover, Hinges,
Accessories Set,
Size: 355×555×370 mm



FLS-WHT-5353PPZ
Rimless Bowl with Cistern
for Extended Wall Hung WC
with PP Soft Close Seat cover,
Hinges, Dual Flush Cistern
Fitting, Accessories Set,
Size: 380×650×730 mm

—
EKO*



*For projects only

Single Lever | Basin



EKO-33001B

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses
Flow rate: 16.2 l/min*



EKO-33023B

Single Lever Extended Basin Mixer (Height-83 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses
Flow rate: 17.31 l/min*



EKO-33023BCLW

Single Lever Extended Basin Mixer (Height-83 mm) without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 16 l/min*



EKO-33051B

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 16 l/min*



EKO-33052B

Single Lever Extended Basin Mixer (Height-83 mm) with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 17.4 l/min*



EKO-33233NK

Exposed Parts of Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-233N or ALD-235N are sold separately)

Single Lever | Bath & Shower



EKO-33119

Single Lever Bath & Shower Mixer, Wall Mounted
Flow rate: 15.9 l/min*



EKO-33119SHK

Single Lever Bath & Shower Mixer with Shower Kit (1937, 571 & 555), Wall Mounted
Flow rate: 15.90 l/min*



EKO-33141

Single Lever Bath & Shower Mixer with Provision for Overhead Shower from rear side with 50 mm Long Collar Pipe, Elbow, nuts & Washers on Upper Side, Wall Mounted
Flow rate: 15.9 l/min*



EKO-33149

Single Lever Shower Mixer, Wall Mounted
Flow rate: 32.78 l/min*

EKO | FAUCETS

Single Lever | Bath & Shower



EKO-33055NK

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-055N is Sold Separately)



EKO-33227K

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



EKO-33163

Single Lever Sink Mixer with Swivel Spout, Wall Mounted
Flow rate: 16.44 l/min*



EKO-33173B

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 15.35 l/min*

Single Lever | Bidet



EKO-33213B

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 7.15 l/min*

Quarter Turn | Basin



EKO-33011

Basin Tap 1/2 Inch
Flow rate: 22 l/min*

Quarter Turn | Taps



EKO-33021

Basin Tap 1/2 Inch with Long Neck
Flow rate: 18.28 l/min*



EKO-33037

Bib Tap with Wall Flange
Flow rate: 17 l/min*



EKO-33041

2-Way Bib Tap with Wall Flange
Flow rate: 16.5 l/min*



EKO-33053

Angle Valve with Wall Flange
Flow rate: 30 l/min*

Quarter Turn | Taps

**EKO-33069**

In-Wall Stop Valve, Reduced Body with Adjustable Wall Flange, Size 15 mm (with Exposed and In-Wall parts)
Flow rate: 28.75 l/min*

COMBO PACK**EKO-CHR-33051B****EKO-CHR-33119****SHA-CHR-1110E****EKO-B051W119SRP**

Combo of Basin Mixer, Wall Mixer & Sliding Rail Pack (33051B, 33119 & 1110E)

FLORENTINE PRIME

The Classic, Reborn



Single Lever | Basin



FLP-5001BPM

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses



FLP-5001BPMCLW

Single Lever Basin Mixer without Popup Waste, with 375 mm Long Braided Hoses & click clack waste (ALD-729)



FLP-5051BPM

Single Lever Basin Mixer with Popup Waste, with 375 mm Long Braided Hoses



FLP-5005BPM

Single Lever High Neck Basin Mixer without Popup Waste, with 600 mm Long Braided Hoses



FLP-5009BPM

Single Lever High Neck Basin Mixer with Swivel Spout & 600 mm Long Braided Hoses



FLP-5233NKPM

Exposed Parts of Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-233N or ALD-235N are sold separately)

Single Lever | Bath & Shower



FLP-5119PM

Single Lever Bath & Shower Mixer, Wall Mounted



FLP-5117PM

Single Lever Bath & Shower Mixer with Provision for Overhead Shower with 115 mm Long Bend Pipe on Upper Side, Wall Mounted



FLP-5115PM

Single Lever Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted



FLP-5125PM

Single Lever Bath & Shower Mixer 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115 mm Long Bend Pipe on Upper Side, Wall Mounted

FLORENTINE PRIME | FAUCETS

Single Lever | Bath & Shower



FLP-5149PM

Single Lever Shower Mixer,
Wall Mounted



FLP-5065MKPM

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)



FLP-5079NKPM

Exposed Part Kit of Single Lever Hi Flow In-wall Diverter (Compatible In-wall part ALD-079N is sold separately)



FLP-5227KPM

Exposed Part Kit of Single Lever In-wall Manual Valve, 35 mm Cartridge (Compatible In-wall parts ALD-227 or ALD-229 are sold separately)

Single Lever | Kitchen



FLP-5139KPM

Exposed Part Kit of Single Lever In-wall Manual Shower Valve (Compatible In-wall part ALD-139 is sold separately)



FLP-5165PM

Single Lever Sink Mixer with Swinging Spout on Upper Side, Wall Mounted



FLP-5173BPM

Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses



FLP-5177BPM

Mono Sink Mixer with Pull-out Handspray & 375 mm Long Braided Hoses

Single Lever | Bidet



FLP-5179BPM

Side Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses



FLP-5213BPM

Single Lever Bidet Mixer with Popup Waste & 375 mm Long Braided Hoses

FLORENTINE PRIME | FAUCETS

Quarter Turn | Basin



FLP-5011PM
Basin Tap 1/2 Inch



FLP-5021PM
High Neck Basin Tap



FLP-5189PM
3-Hole Basin Mixer without Popup Waste



FLP-5189PMRS
3-Hole Basin Mixer Round Spout without Popup Waste



FLP-5191PM
3-Hole Basin Mixer with Popup Waste



FLP-5441KPM
Exposed Parts of In-wall Single Built-in Stop Valve with Basin Spout (Compatible In-Wall part ALD-441 is sold separately)

Quarter Turn | Bath & Shower



FLP-5281PM
Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted

Quarter Turn | Kitchen



FLP-5309PM
Sink Mixer with Regular Swivel Spout, Wall Mounted



FLP-5347PM
Sink Tap with Regular Swivel Spout



FLP-5357PM
Sink Pillar Tap with Swivel Spout

FLORENTINE PRIME | FAUCETS

Quarter Turn | Taps



FLP-5037PM
Bib Tap with Wall Flange



FLP-5041PM
2-Way Bib Tap with Wall Flange



FLP-5053PM
Angle Valve with Wall Flange



FLP-5083PM
In-wall Stop Valve with Adjustable
Wall Flange, Size 15 mm
(With Exposed and In-wall parts)



FLP-5089PM
In-wall Stop Valve with Adjustable
Wall Flange, Size 20 mm
(With Exposed and In-wall parts)

CONTINENTAL PRIME

Vintage Charm, Redefined





NOW PRIMED TO BE THE PILLAR OF MODERN BATH DESIGN

Designed by
MICHAEL FOLEY

Pillars are unique in being both decorative and structural.

The 21st-century update of Jaquar's bestselling Continental collection takes inspiration from the timeless appeal and eternal solidity of India's ancient pillars.



CONTINENTAL PRIME | FAUCETS

Single Lever | Basin



COP-001BPM

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses
Flow rate: 12.24 ℓ/min*



COP-001BPMCLW

Single Lever Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses & Click-Clack-Waste (ALD-729)
Flow rate: 12.24 ℓ/min*



COP-051BPM

Single Lever Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 12.24 ℓ/min*



COP-005BPM

Single Lever High Neck Basin Mixer without Pop-Up-Waste, with 600 mm Long Braided Hoses
Flow rate: 12.00 ℓ/min*

Single Lever | Bath & Shower



COP-233NKPM

Exposed Parts of Single Lever Built-in In-wall Manual Valve with Basin Spout (Compatible in wall parts ALD-233N or ALD-235N are sold separately)



COP-119PM

Single Lever Bath & Shower Mixer, Wall Mounted
Flow rate: 25.51 ℓ/min*



COP-145PM

Single Lever Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211NH or SHA-1213) & Hand Shower, Wall Mounted
Flow rate: 24.57 ℓ/min*



COP-149PM

Single Lever Shower Mixer, Wall Mounted
Flow rate: 31.18 ℓ/min*



COP-055KPM

Exposed Part Kit of Single Lever In-Wall Diverter (Compatible In-Wall Part ALD-055N is Sold Separately)



COP-065MKPM

Exposed Part Kit of Single Lever In-wall Diverter (Compatible In-wall part ALD-065M is sold separately)

Single Lever | Bath & Shower



COP-079NKPM

Exposed Part Kit of Single Lever Hi Flow In-wall Diverter (Compatible In-wall part ALD-079N is sold separately)



COP-227KPM

Exposed Part Kit of Single Lever In-Wall Manual Valve, 35 mm Cartridge (Compatible In-Wall parts ALD-227 or ALD-229 are Sold Separately)

Single Lever | Kitchen



COP-179BPM

Side Single Lever Mono Sink Mixer with Swivel Spout & 375 mm Long Braided Hoses
Flow rate: 11.77 l/min*

Single Lever | Bidet



COP-213BPM

Single Lever Bidet Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 7.44 l/min*

Quarter Turn | Basin



COP-167BPM

Monoblock Basin Mixer without Pop-Up-Waste, with 375 mm Long Braided Hoses
Flow rate: 15.83 l/min*



COP-169BPM

Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 15.83 l/min*



COP-011PM

Basin Tap 1/2 Inch
Flow rate: 14.94 l/min*



COP-021PM

High Neck Basin Tap
Flow rate: 13.89 l/min*

Quarter Turn | Bath & Shower



COP-209PM

Shower Mixer
Flow rate: 63.9 l/min*



COP-281PM

Bath & Shower Mixer 3-in-1 System with Provision for Hand Shower & Overhead Shower Complete with 115 mm Long Bend Pipe, Wall Mounted
Flow rate: 24.48 l/min*

CONTINENTAL PRIME | FAUCETS

Quarter Turn | Kitchen



COP-309PM

Sink Mixer with Swivel Spout,
Wall Mounted
Flow rate: 16.7 ℓ/min*



COP-347PM

Sink Tap with Swivel Spout
Flow rate: 15.17 ℓ/min*

Quarter Turn | Taps



COP-037PM

Bib Tap with Wall Flange
Flow rate: 14.87 ℓ/min*



COP-107PM

Long Body Bib Tap with Wall Flange
Flow rate: 14.9 ℓ/min*



COP-041PM

2-Way Bib Tap with Wall Flange
Flow rate: 14.66 ℓ/min*



COP-057PM

Angle Valve with Wall Flange
Flow rate: 20.75 ℓ/min*



COP-083PM

In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm
(with Exposed and In-Wall parts)



COP-089PM

In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm
(with Exposed and In-Wall parts)

CONTINENTAL

Elegance at its Best



CONTINENTAL | FAUCETS

Multi Turn | Basin



CON-011KN

Basin Tap 1/2 Inch
Flow rate: 45.08 l/min*



CON-021KN

Basin Tap 1/2 Inch with Long Neck
Flow rate: 46.70 l/min*



CON-167KNB

Monoblock Basin Mixer without
Pop-Up-Waste & 375 mm Long
Braided Hoses
Flow rate: 21.58 l/min*



CON-169KNB

Monoblock Basin Mixer with Pop-Up-
Waste & 375 mm Long Braided Hoses
Flow rate: 21.58 l/min*

Multi Turn | Bath & Shower



CON-123BKN

Basin Tap with Left Hand Operating
Knob & 375 mm Long Braided Hoses
Also available

CON-127BKN

Basin Tap with Right Hand Operating
Knob & 375 mm Long Braided Hoses
Flow rate: 17.88 l/min*



CON-217KN

Bath & Shower Mixer with Provision
for Connection to Exposed Shower
Pipe (SHA-1211N), Wall Mounted
Flow rate: 28.12 l/min*



CON-267KN

Bath & Shower Mixer with Connector
for Hand Shower & Wall Bracket,
Wall Mounted
Flow rate: 28.12 l/min*



CON-271KN

Bath & Shower Mixer with Telephone
Shower Crutch, Deck Mounted
Flow rate: 28.12 l/min*

Multi Turn | Kitchen



CON-309KNM

Sink Mixer with Swivel Spout,
Wall Mounted
Flow rate: 23.52 l/min*



CON-309KNBM

Mono Sink Mixer with Swivel Spout &
375 mm Long Braided Hoses
Flow rate: 21.09 l/min*

Multi Turn | Kitchen



CON-319KN

Sink Mixer with Swivel Raised J Shaped Spout, Wall Mounted
Flow rate: 21.09 ℓ/min*



CON-319KNB

Mono Sink Mixer with Swivel Raised J Shaped Spout & 375 mm Long Braided Hoses
Flow rate: 21.09 ℓ/min*



CON-321KNB

Mono Sink Mixer with Swivel Special Extended Spout & 375 mm Long Braided Hoses
Flow rate: 21.52 ℓ/min*



CON-347KNM

Sink Tap with Swivel Spout
Flow rate: 22.47 ℓ/min*



CON-349KNM

Sink Pillar Tap with Swivel Spout
Flow rate: 22.47 ℓ/min*



CON-357KN

Sink Tap with Swivel Raised J Shaped Spout
Flow rate: 21.12 ℓ/min*

Multi Turn | Taps



CON-359KN

Sink Pillar Tap with Swivel Raised J Shaped Spout
Flow rate: 21.12 ℓ/min*



CON-047KN

Bib Tap with Wall Flange
Flow rate: 46.70 ℓ/min*



CON-107KN

Long Body Bib Tap with Wall Flange
Flow rate: 42.07 ℓ/min*



CON-041KNF

2-Way Bib Tap with Wall Flange
Flow rate: 44.15 ℓ/min*

CONTINENTAL | FAUCETS

Multi Turn | Taps



CON-059KN

Angle Valve with Wall Flange
Flow rate: 47.00 l/min*



CON-069KN

In-Wall Stop Valve, Reduced Body
with Adjustable Wall Flange, Size 15
mm (with Exposed and In-Wall parts)
Flow rate: 47.00 l/min*



CON-083KN

In-Wall Stop Valve with Adjustable
Wall Flange, Size 15 mm
(with Exposed and In-Wall parts)
Flow rate: 47.00 l/min*



CON-087KN

In-Wall Stop Valve, Extra Heavy Body
with Adjustable Wall Flange, Size 20
mm (with Exposed and In-Wall parts)
Flow rate: 47.00 l/min*



CON-089KN

In-Wall Stop Valve with Adjustable
Wall Flange, Size 20 mm
(with Exposed and In-Wall parts)
Flow rate: 47.00 l/min*



CNS-WHT-903
Table Top Basin,
Size: 425×340×175 mm



CNS-WHT-905
Table Top Basin,
Size: 420×420×155 mm



CNS-WHT-701
Under Counter Basin
with Fixing Accessories,
Size: 485×370×205 mm,
Shape: Rectangular



CNS-WHT-705
Under Counter Basin
with Fixing Accessories,
Size: 605×430×200 mm,
Shape: Oval

Full pedestal wash basin



CNS-WHT-801
Wall Hung Basin
with Fixing Accessories,
Size: 560×415×200 mm
CNS-WHT-301
Full Pedestal for
CNS-WHT-801



CNS-WHT-811
Wall Hung Basin with
Fixing Accessories,
Size: 565×450×195 mm
CNS-WHT-303
Full Pedestal for
CNS-WHT-811

Half pedestal wash basin



CNS-WHT-801
Wall Hung Basin with
Fixing Accessories,
Size: 560×415×200 mm
CNS-WHT-305
Half Pedestal with
Fixing Accessories for
CNS-WHT-801



CNS-WHT-813
Wall Hung Basin with
Fixing Accessories,
Size: 420×420×155 mm



CNS-WHT-959JUF

Wall Hung WC with In-Built Jet, UF Soft Close Seat Cover, Hinges, Accessories Set, Size: 370×540×410 mm



CNS-WHT-963UFSM

Rimless Wall Hung WC with UF Soft Close Slim Seat Cover, Hinges, Accessories Set, Size: 380×515×360 mm



CNS-WHT-959JSPP

Wall Hung WC with In-Built Jet, PP Soft Close Seat Cover, Hinges, Accessories Set, Size: 370×540×410 mm



CNS-WHT-751S300SPPZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Fixing Accessories and Accessories Set, Size: 410×660×810 mm, S Trap- 300 mm



CNS-WHT-751P180SPPZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 410×660×810 mm, P Trap- 180 mm



CNS-WHT-755S220SP-PZ

Bowl with Cistern for Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 365×680×770 mm, S Trap- 220 mm



CNS-WHT-757NS-300SPPSZ

Bowl With Side Flush Cistern For Coupled WC with PP Soft Close Seat Cover, Hinges, Single Side Flush Cistern Fitting, Fixing Accessories And Accessories Set, Size: 410×695×785 mm, S Trap- 300 mm



CNS-WHT-757NS300SPPZ

Bowl With Cistern For Coupled WC with PP Soft Close Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories And Accessories Set, Size: 410×695×785 mm, S Trap- 300 mm



CNS-WHT-153
Blind Installation Wall Hung
Bidet with Accessories Set,
Size: 370×500×330 mm



CNS-WHT-853P180SPPSM
Rimless Single Piece WC with
PP Soft Close Slim Seat Cover,
Hinges, Dual Flush Cistern
Fittings, Fixing Accessories and
Accessories Set,
Size: 370×660×730 mm,
P Trap- 180 mm

NEW



CNS-WHT-853S220SPPSM
Rimless Single Piece WC
with PP Soft Close Slim Seat
Cover, Hinges, Dual Flush Cistern
Fittings, Fixing Accessories and
Accessories Set,
Size: 370×660×730 mm,
S Trap- 220 mm



CNS-WHT-853S300SPPSM
Rimless Single Piece WC
with PP Soft Close Slim Seat
Cover, Hinges, Dual Flush Cistern
Fittings, Fixing Accessories and
Accessories Set,
Size: 370×660×730 mm,
S Trap- 300 mm



CNS-WHT-959NSPP
Wall Hung WC with PP Soft Close
Seat Cover, Hinges, Accessories
Set, Size: 370×540×410 mm



CNS-WHT-959NUF
Wall Hung WC with UF Soft Close
Seat Cover, Hinges, Accessories
Set, Size: 370×540×410 mm



CNS-WHT-961NSPP
Wall Hung WC with PP Soft
Close Seat Cover, Hinges,
Accessories Set,
Size: 365×545×360 mm



CNS-WHT-959NUF
Wall Hung WC with UF Soft Close
Seat Cover, Hinges, Accessories
Set, Size: 365×545×360 mm



ASTRA

Form Meets Functionality.



Quarter Turn | Basin



AQT-3011
Basin Tap 1/2 Inch
Flow rate: 23.94 ℓ/min*



AQT-3169B
Monoblock Basin Mixer with Pop-Up-Waste & 375 mm Long Braided Hoses
Flow rate: 20.42 ℓ/min*



AQT-3171B
Monoblock Basin Mixer with Swivel Pipe Spout & 375 mm Long Braided Hoses
Flow rate: 19.79 ℓ/min*



AQT-3181B
Monoblock Basin Mixer with Swivel Casted Round Shape Spout & 375 mm Long Braided Hoses
Flow rate: 20.01 ℓ/min*

Quarter Turn | Bath & Shower



AQT-3517A
Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted
Flow rate: 20.01 ℓ/min*



AQT-3209
Shower Mixer
Flow rate: 56.69 ℓ/min*

Quarter Turn | Kitchen



AQT-3309
Sink Mixer with Swivel Spout, Wall Mounted
Flow rate: 21.69 ℓ/min*



AQT-3319
Sink Mixer with Swivel Pipe Spout, Wall Mounted
Flow rate: 33.19 ℓ/min*

Quarter Turn | Taps



AQT-3357
Sink Tap with Swivel Pipe Spout
Flow rate: 18.95 ℓ/min*



AQT-3047
Bib Tap with Wall Flange
Flow rate: 37.70 ℓ/min*

ASTRA | FAUCETS

Quarter Turn | Taps



AQT-3049

Bib Tap with Nozzle
Flow rate: 24.94 ℓ/min*



AQT-3107

Bib Tap Long Body with Wall Flange
Flow rate: 37.70 ℓ/min*



AQT-3053

Angle Valve with Wall Flange



AQT-3057P

Angle Valve with Triangular Handle &
Wall Flange
Flow rate: 21.20 ℓ/min*

SENSOR

Stimulatingly Intelligent



SENSOR | FAUCETS

Sensor | Basin Battery Operated



SNR-51011N

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated)
Flow rate: 12.30 ℓ/min*



SNR-51021

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated)
Flow rate: 12.78 ℓ/min*



SNR-51021A

Sensor Faucet for Wash Basin Deck Mounted Complete with 175 mm Extended Body & Control Box (Battery Operated)
Flow rate: 12.78 ℓ/min*



SNR-51001SQ

Sensor Faucet for Wash Basin in Square Shape Deck Mounted Complete with Control Box (Battery Operated)
Flow rate: 13.16 ℓ/min*



SNR-51027

Sensor Faucet for Wash Basin Deck Mounted Complete with Control Box (Battery Operated)
Flow rate: 13.43 ℓ/min*



SNR-51033

Sensor Faucet for Wash Basin in Rectangular Shape Deck Mounted Complete with Control Box (Battery Operated)
Flow rate: 7.20 ℓ/min*



SNR-35019PM

Kubix Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)
Flow rate: 11.80 ℓ/min*



SNR-35019PMPK

Kubix Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)
Flow rate: 11.80 ℓ/min*



SNR-35017PM

Kubix Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)
Flow rate: 11.90 ℓ/min*



SNR-35017PMPK

Kubix Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)
Flow rate: 11.90 ℓ/min*

Sensor | Basin Battery Operated



SNR-15019PM

Opal Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)
Flow rate: 12.15 l/min*



SNR-15019PMPK

Opal Prime Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)
Flow rate: 12.15 l/min*



SNR-15017PM

Opal Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)
Flow rate: 12.20 l/min*



SNR-15017PMPK

Opal Prime High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)
Flow rate: 12.20 l/min*



SNR-91019

Laguna Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)



SNR-91019PK

Laguna Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)



SNR-91017

Laguna High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box (Battery Operated)



SNR-91017PK

Laguna High Neck Sensor Faucet for Wash Basin Deck mounted Complete with Control Box & Pre-mixed Water Supply Kit (Battery Operated)

Sensor | Urinal Battery Operated



SNR-51097

Sensor Flush Valve for Urinal Complete with Installation Kit (Battery Operated) Suitable for Urinal (URS-WHT-13255)
Flow rate: 2.0 l/f**



SNR-STL-51087

Sensor Flush Valve for Urinal Complete with Installation Box (Battery Operated)
Flow rate: 2.0 l/f**

SENSOR | FAUCETS

Sensor | Urinal Battery Operated



SNR-51085C

in-wall Installation Box for Urinal Sensor Consisting of Solenoid Valve with Control Valve (But without Exposed Part Kit)



SNR-51085K

Exposed Part Kit of Urinal Sensor Consisting of Wall Flange with Sensor Eye & (4 X 1.5V AA) Batteries (Compatible In-wall part SNR-51085C is sold separately)

Sensor | Water Closet Battery Operated



SNR-STL-51093N

Sensor Flush Valve for Western Commode with Provision for Manual Operation Also, Complete with Installation Box (Battery Operated) Flow rate: 11.90 l/min*

Blush Sensor | Basin Battery Operated



SNR-51443

Blush Wall Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate: 8.50 l/min*



SNR-51445

Blush Deck Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate: 9.50 l/min*



SNR-51449

Blush High Neck Deck Mounted Sensor Faucet with Control Box (Battery Operated) Flow rate: 8.20 l/min*



SNR-51443PK

Blush Wall Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 8.50 l/min*



SNR-51445PK

Blush Deck Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 9.50 l/min*

Sensor Faucets With 9v Transformer | Basin Electronic Operated



SNR-51449PK

Blush High Neck Deck Mounted Sensor Faucet with Control Box & Pre-mixed Water Supply Kit (Battery Operated) Flow rate: 8.20 l/min*



SNR-51011NEBPK

Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer)

Sensor Faucets With 9v Transformer | Basin Electronic Operated



SNR-51033EB

Sensor Faucet for Wash Basin in Rectangular Shape (9V transformer)
Flow rate: 7.20 ℓ/min*



SNR-51021EB

Sensor Faucet for Wash Basin (9V transformer)
Flow rate: 12.78 ℓ/min*



SNR-51021AEB

Sensor Faucet for Wash Basin with 175mm Extension Body (9V transformer)
Flow rate: 14.19 ℓ/min*



SNR-51001SQEB

Sensor Faucet for Wash Basin in Square Shape with Base Flange (9V transformer)
Flow rate: 14.19 ℓ/min*



SNR-51027EB

Sensor Faucet for Wash Basin (9V transformer)
Flow rate: 14.19 ℓ/min*



SNR-91019EB

Laguna Sensor Faucet for Wash Basin (9V transformer)



SNR-91019EBPK

Laguna Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer)



SNR-91017EB

Laguna High Neck Sensor Faucet for Wash Basin (9V transformer)



SNR-91017EBPK

Laguna High Neck Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer)



SNR-35019PMEB

Kubix Prime Sensor Faucet for Wash Basin (9V transformer)
Flow rate: 11.80 ℓ/min*

SENSOR | FAUCETS

Sensor Faucets With 9v Transformer | Basin Electronic Operated



SNR-35019PMEBPK

Kubix Prime Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer)
Flow rate: 11.80 ℓ/min*



SNR-15019PMEB

Opal Prime Sensor Faucet for Wash Basin (9V transformer)
Flow rate: 12.15 ℓ/min*



SNR-15019PMEBPK

Opal Prime Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V transformer)
Flow rate: 12.15 ℓ/min*



SNR-35017PMEB

Kubix Prime High Neck Sensor Faucet for Wash Basin (9V Transformer & Provision for Battery Operated)
Flow rate: 11.90 ℓ/min*



SNR-35017PMEBPK

Kubix Prime High Neck Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V Transformer & Provision for Battery Operated)
Flow rate: 11.90 ℓ/min*



SNR-15017PMEB

Opal Prime High Neck Sensor Faucet for Wash Basin (9V Transformer & Provision for Battery Operated)
Flow rate: 12.20 ℓ/min*

Sensor Faucets With 9v Transformer | Urinal Electronic Operated



SNR-15017PMEBPK

Opal Prime High Neck Sensor Faucet for Wash Basin with Pre-mixed Water Supply Kit (9V Transformer & Provision for Battery Operated)
Flow rate: 12.20 ℓ/min*



SNR-STL-51077E

Sensor In-Wall Type Flush Valve for Urinal Complete set with Installation Box & Control Valve (9V Transformer)
Flow rate: 19.30 ℓ/min*

PRESSMATIC TAPS

Saves Water Every Second



PRESSMATIC | FAUCETS

Basin



PRS-031

Non-Concussive Basin Tap
Flow rate: 16.72 ℓ/min^*



PRS-031L65

Non-Concussive Basin Tap with
65 mm Extension Body
Flow rate: 15.74 ℓ/min^*

Taps



PRS-061

Non-Concussive Basin Tap,
Wall Mounted
Flow rate: 14.32 ℓ/min^*



PRS-043

Non-Concussive Bib Tap
Flow rate: 17 ℓ/min^*

Urinals



PRS-073

Non-Concussive In-Wall Urinal Valve
Flow rate: 2.0 ℓ/f^{**}



PRS-077

Non-Concussive Urinal Valve
Flow rate: 3.85 lpf **

New Age Pressmatic



PRS-001MED

Non-Concussive (Straight Line
Model) Basin Tap with Elbow
Operated Extended Lever
Flow rate: 16.72 ℓ/min^*



PRS-031MED

Non-Concussive Basin Tap with
Elbow Operated Extended Lever
Flow rate: 16.72 ℓ/min^*



PRS-031L65MED

Non-Concussive Basin Tap with
65 mm Extension Body & Elbow
Operated Extended Lever
Flow rate: 15.75 ℓ/min^*



PRS-043MED

Non-Concussive Bib Tap with Elbow
Operated Extended Lever
Flow rate: 17.00 ℓ/min^*

New Age Pressmatic



PRS-STL-033EF

Exposed Foot Operated Non-Concussive Valve for Basin Taps & Spouts (Table Mounted Model) with Two 900 & 1200 mm Long Braided Hoses with 15 mm Nuts



PRS-STL-033EFP

Exposed Foot Operated Non-Concussive Valve for Pressmatic Basin Taps Only with Plug (Table Mounted Model) with Two 900 & 1200 mm Long Braided Hoses with 15 mm Nuts



PRS-STL-033EFPWC

Exposed Foot Operated Non-Concussive Valve for Pressmatic Basin Taps without Cartridge, But with Plug (Table Mounted Model) with Two 900 & 1200 mm long Braided Hoses with 15 mm nuts



PRS-277

Elbow Operated Non-concussive Extended Lever Assembly for Operating Exposed Pressmatic Basin Taps & Bib Tap

MEDI SERIES



Basin



FLR-5031N
Florentine Basin Tap with Extended
Lever Handle
Flow rate: 17.70 ℓ/min*



FLR-5033B
Florentine Single Lever Basin Mixer
with Extended Lever Handle without
Pop-Up-Waste with 375mm Long
Braided Hoses
Flow rate: 16.78 ℓ/min*

Sink



FLR-5043N
Bib Tap with Extended Lever Handle
Flow rate: 17.96 ℓ/min*



FLR-5166
Florentine Single Lever Sink Mixer
with Extended Lever Handle, Wall
Mounted
Flow rate: 16.44 ℓ/min*

SPOUT OPERATING TAPS



SPOUT OPERATING TAPS

Basin

Tap



SOT-83011

Spout Operated Pillar Tap
Flow rate: 18.37 ℓ/min*



SOT-83037

Spout Operated Bib Tap
Flow rate: 18.53 ℓ/min*


—
CLOUD



A FIRST OF ITS KIND INTUITIVE AND CUTTING EDGE
SHOWER TECHNOLOGY.

WHAT COLOUR WOULD YOU LIKE YOUR CLOUD TO BE?


In the 21st century, bathrooms have graduated from providing mere functionality to becoming a zone for physical and mental rejuvenation. And colour plays a key role in enabling that. That's why, like many of Jaquar's bath fixtures, Cloud too is available with trim plates in a wide range of 6 colour finishes.



COLOUR FINISHES:




CHR
Chrome



BGP
Blush Gold Bright PVD



BLM
Black Matt



GMP
Gold Matt PVD



BCH
Black Chrome



GBP
Gold Bright PVD



QLD-309661C

CLOUD Thermostatic Shower Mixer Body and Touch Control Panel Plastic box for In-wall installation



QLD-309661CE

CLOUD Thermostatic Shower Mixer Body with Fixing Lugs and Touch Control Panel Plastic box for In-wall installation



QLD-309681KRH

Exposed Part Kit of CLOUD Touch Shower System with 2 outlets for connection to Rain & Hand Shower (Compatible In-wall Part QLD-309661C or QLD-309661CE are sold separately)

- Exposed wall flange for thermostatic shower mixer
- Exposed wall flange with inbuilt touch control panel for 2 outlets for In-wall plastic box
- CPU system with 1 inlet & 2 outlets connections
- 3 meter extension cable for touch control panel to CPU-1pc
- 3 meter extension cable for power adapter to touch control panel-1Pc
- Battery box with connecting cabel to touch control panel-1Pc
- 800mm Long Braided Hose, 15mm Size-02 Nos
- 800mm Long Braided Hose, 20mm Size-01 Nos
- Filter - 01 Nos
- Metallic clamp & screw-1Set



QLD-309683KRHB

Exposed Part Kit of CLOUD Touch Shower System with 3 outlets for connection to Rain, Hand Shower & Body Shower (Compatible In-wall Part QLD-309661C or QLD-309661CE are sold separately)

- Exposed wall flange for thermostatic shower mixer
- Exposed wall flange with inbuilt touch control panel for 3 outlets for In-wall plastic box
- CPU system with 1 inlet & 3 outlets connections
- 3 meter extension cable for touch control panel to CPU-1pc
- 3 meter extension cable for power adapter to touch control panel-1Pc
- Battery box with connecting cabel to touch control panel-1Pc
- 800mm Long Braided Hose, 15mm Size-03 Nos
- 800mm Long Braided Hose, 20mm Size-01 Nos
- Filter - 01 Nos
- Metallic clamp & screw-1Set

**QLD-309683KRMH**

Exposed Part Kit of CLOUD Touch Shower System with 3 outlets for connection to Rain, Mist/Waterfall Shower mode & Hand Shower (Compatible In-wall Part QLD-309661C or QLD-309661CE are sold separately)

- Exposed wall flange for thermostatic shower mixer
- Exposed wall flange with inbuilt touch control panel for 3 outlets for In-wall plastic box
- CPU system with 1 inlet & 3 outlets connections
- 3 meter extension cable for touch control panel to CPU-1pc
- 3 meter extension cable for power adapter to touch control panel-1Pc
- Battery box with connecting cable to touch control panel-1Pc
- 800mm Long Braided Hose, 15mm Size-03 Nos
- 800mm Long Braided Hose, 20mm Size-01 Nos
- Filter - 01 Nos
- Metallic clamp & screw-1Set

**QLD-309685KRMHB**

Exposed Part Kit of CLOUD Touch Shower System with 4 outlets for connection to Rain, Mist/Waterfall, Hand Shower & Body Shower (Compatible In-wall Part QLD-309661C or QLD-309661CE are sold separately)

- Exposed wall flange for thermostatic shower mixer
- Exposed wall flange with inbuilt touch control panel for 4 outlets for In-wall plastic box
- CPU system with 1 inlet & 4 outlets connections
- 3 meter extension cable for touch control panel to CPU-1pc
- 3 meter extension cable for power adapter to touch control panel-1Pc
- Battery box with connecting cable to touch control panel-1Pc
- 800mm Long Braided Hose, 15mm Size-04 Nos
- 800mm Long Braided Hose, 20mm Size-01 Nos
- Filter - 01 Nos
- Metallic clamp & screw-1Set

AQUAMAX THERMOSTAT



Allied



ALD-661N

Aquamax In-wall Body of
Thermostatic Shower Mixer Single
Function (Without Exposed Parts)
Flow rate: 56.00 l/min*



ALD-681N

Aquamax In-wall Body of Thermostatic
Shower Mixer with 2-way diverter
(Without Exposed Parts)
Flow rate: 42.00 l/min*



ALD-683N

Aquamax In-wall Body of Thermostatic
Shower Mixer with 3-way diverter
(Without Exposed Parts)
Flow rate: 52.00 l/min*



ALD-661NE

Aquamax In-wall Body of Thermostatic
Shower Mixer Single Function with
Fixing Lugs (Without Exposed Parts)
Flow rate: 56.00 l/min*



ALD-681NE

Aquamax In-wall Body of
Thermostatic Shower Mixer with
Fixing Lugs & 2-way diverter
(Without Exposed Parts)
Flow rate: 42.00 l/min*



ALD-683NE

Aquamax In-wall Body of Thermostatic
Shower Mixer with Fixing Lugs & 3-way
diverter (Without Exposed Parts)
Flow rate: 52.00 l/min*

Laguna



LAG-91661NK

Aquamax Exposed Part Kit of
Thermostatic Shower Mixer
(Compatible In-wall parts ALD-661N
or ALD-661NE are sold separately)



LAG-91681NK

Aquamax Exposed Part Kit of
Thermostatic Shower Mixer with
2-way diverter (Compatible In-wall
Part ALD-681N or ALD-681NE are
sold separately)



LAG-91683NK

Aquamax Exposed Part Kit of
Thermostatic Shower Mixer with
3-way diverter (Compatible In-wall
Parts ALD-683N or ALD-683NE are
sold separately)

Florentine Prime



FLP-5661NKPM

Aquamax Exposed Part Kit of
Thermostatic Shower Mixer
(Compatible In-wall parts ALD-661N
or ALD-661NE are sold separately)

AQUAMAX THERMOSTAT

Florentine Prime



FLP-5681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



FLP-5683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

Queen's Prime



QQP-7661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



QQP-7681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)

Arc



QQP-7683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



ARC-87661NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



ARC-87681NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



ARC-87683NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

Kubix Prime



KUP-35661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



KUP-35681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)

Kubix Prime



KUP-35683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

Opal Prime



OPP-15661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



OPP-15681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



OPP-15683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

Ornamix Prime



ORP-10661NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



ORP-10681NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)

Vignette Prime



ORP-10683NKPM

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



VGP-81661NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



VGP-81681NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



VGP-81683NK

Aquamax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

AQUAMAX THERMOSTAT

Alive



ALI-85661NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



ALI-85681NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)

Aria



ALI-85683NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



ARI-39661NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



ARI-39681NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)



ARI-39683NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)

Florentine



FLR-5661NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer (Compatible In-wall parts ALD-661N or ALD-661NE are sold separately)



FLR-5681NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer with 2-way diverter (Compatible In-wall Part ALD-681N or ALD-681NE are sold separately)

AQUAMAX SINGLE LEVER SHOWER MIXER WITH 3-Way Diverter

Laguna



FLR-5683NK

AquaMax Exposed Part Kit of Thermostatic Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-683N or ALD-683NE are sold separately)



LAG-91783NK

AquaMax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

AQUAMAX SINGLE LEVER SHOWER MIXER WITH 3-Way Diverter

Kubix Prime



KUP-35783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Opal Prime



OPP-15783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Ornamix Prime



ORP-10783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Vignette Prime



VGP-81783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Alive



ALI-85783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Aria



ARI-39783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Florentine Prime



FLP-5783NKPM

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Lyric



LYR-38783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)

Fusion



FUS-29783K

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783 or ALD-783E are sold separately)

Florentine



FLR-5783NK

Aquamax Exposed Part Kit of Single Lever Shower Mixer with 3-way diverter (Compatible In-wall Parts ALD-783N or ALD-783NE are sold separately)



THERMOSTATIC MIXERS



Opal Prime



OPP-15653PM

Multifunction Thermostatic Shower Valve with Integrated Diverter and Provision for Rigid Riser, Shower Head & Shower Handset
Flow rate: 35.64 l/min*



OPP-15655PM

Opal Prime Thermostatic Bar Valve
Flow rate: 36.43 l/min*



OPP-15657PM

Opal Prime Thermostatic Bath & Shower Mixer, Wall Mounted
Flow rate: 29.96 l/min*



OPP-15615PM

Exposed Thermostatic Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted



OPP-15663PM

Exposed Thermostatic Bath & Shower Mixer 3-in-1 System with Provision for connection to Exposed Shower Pipe (Without Overhead & Hand Shower), Wall Mounted



OPP-15615PMWBP

Exposed Thermostatic Bath & Shower Mixer with Provision for Overhead Shower with 115mm Long Bend Pipe on Upper Side, Wall Mounted

Florentine Prime



OPP-15663PMWBP

Exposed Thermostatic Bath & Shower 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115mm Long Bend Pipe on Upper Side, Wall Mounted



FLP-5615PM

Exposed Thermostatic Bath & Shower Mixer with Provision for Connection to Exposed Shower Pipe (SHA-1211N), Wall Mounted



FLP-5663PM

Exposed Thermostatic Bath & Shower Mixer 3-in-1 System with Provision for connection to Exposed Shower Pipe (Without Overhead & Hand Shower), Wall Mounted



FLP-5615PMWBP

Exposed Thermostatic Bath & Shower Mixer with Provision for Overhead Shower with 115mm Long Bend Pipe on Upper Side, Wall Mounted

THERMOSTATIC MIXERS

Florentine Prime



FLP-5663PMWBP

Exposed Thermostatic Bath & Shower 3-in-1 System with Provision for both Hand Shower and Overhead Shower Complete with 115mm Long Bend Pipe on Upper Side, Wall Mounted

Florentine



FLR-5657

Florentine Thermostatic Bath & Shower Mixer, Wall Mounted
Flow rate: 29.96 l/min*



FLR-5653

Multifunction Thermostatic Shower Valve with Integrated Diverter and Provision for Rigid Riser, Shower Head & Shower Handset
Flow rate: 35.16 l/min*



FLR-5653SHK

Multifunction Thermostatic Shower Valve with Integrated Diverter and Adjust Height Upto 250mm Rigid Riser with Shower Head & Shower Handset (1213, 1613, 1653 & 571)
Flow rate: 35.16 l/min*



FLR-5655

Florentine Thermostatic Bar Valve
Flow rate: 36.43 l/min*



FLR-5659

Florentine Thermostatic Bath & Shower Mixer, Deck Mounted
Flow rate: 26.96 l/min*

Arc



FLR-5677

4-Hole Thermostatic Bath & Shower Mixer, Deck Mounted



ARC-87677

4-Hole Thermostatic Bath & Shower Mixer, Deck Mounted
Flow rate: 14.19 l/min*

Eko



EKO-33673LWR

Eko Thermostatic Shower Valve with 115mm Long Bend pipe on Lower Side, Wall Mounted
Flow rate: 26.54 l/min*

BATHTUB SPOUTS



BATHTUB SPOUTS

Laguna



SPJ-91429

Laguna Bath Spout with Wall Flange
Flow rate: 31.59 ℓ/min*



SPJ-91463

Laguna Bath Spout with Diverter & Wall Flange
Flow rate: 25.60 ℓ/min*

Florentine Prime



SPJ-5429PM

Florentine Prime Bath Spout with Wall Flange



SPJ-5463PM

Florentine Prime Bath Spout with Diverter & Wall Flange

Queen's Prime



SPJ-7429PM

Queen's Prime Bath Spout with Wall Flange
Flow rate: 47 ℓ/min*



SPJ-7463PM

Queen's Prime Bath Spout with Diverter & Wall Flange
Flow rate: 34.50 ℓ/min*

Arc



SPJ-87429

Arc Bath Spout with Wall Flange
Flow rate: 33.92 ℓ/min*



SPJ-87463

Arc Bath Spout with Diverter & Wall Flange
Flow rate: 28.97 ℓ/min*

Kubix Prime



SPJ-35429PM

Kubix Prime Bath Spout with Wall Flange
Flow rate: 17.18 ℓ/min*



SPJ-35463PM

Kubix Prime Bath Spout with Diverter & Wall Flange
Flow rate: 37.22 ℓ/min*

Opal Prime



SPJ-15429PM

Opal Prime Bath Spout with Wall Flange
Flow rate: 18.69 ℓ/min*



SPJ-15463PM

Opal Prime Bath Spout with Diverter & Wall Flange
Flow rate: 17.71 ℓ/min*

Ornamix Prime



SPJ-10429PM

Ornamix Prime Bath Spout with Wall Flange
Flow rate: 18.57 ℓ/min*



SPJ-10463PM

Ornamix Prime Bath Spout with Diverter & Wall Flange
Flow rate: 18.2 ℓ/min*

Alive



SPJ-85429

Alive Bath Spout with Wall Flange
Flow rate: 22.81 ℓ/min*



SPJ-85463

Alive Bath Spout with Diverter & Wall Flange
Flow rate: 21.14 ℓ/min*

Allied



SPJ-461

Bath Spout with Diverter & Built-In Flange with Inclined Shape
Flow rate: 30.06 ℓ/min*



SPJ-467

Bath Spout Heavy Casted Body with Diverter
Flow rate: 35.17 ℓ/min*

Continental



SPJ-429

Continental Bath Spout with Wall Flange
Flow rate: 36.98 ℓ/min*



SPJ-433

Continental Bath Spout 235 mm Long with Wall Flange
Flow rate: 47 ℓ/min*

BATHTUB SPOUTS

Continental



SPJ-463

Continental Bath Spout with Diverter
Flow rate: 29.06 ℓ/min*

Florentine



SPJ-5429S

Florentine Bath Spout with Wall Flange, Stainless Steel
Flow rate: 47 ℓ/min*



SPJ-5439

Florentine Bath Spout (20 mm) with Wall Flange
Flow rate: 47.00 ℓ/min*



SPJ-5447

Florentine Basin Spout 9 Inch with Wall Flange Flow rate: 29.81 ℓ/min*

Also available

SPJ-5443

Florentine Basin Spout 7 Inch with Wall Flange
Flow rate: 13.93 ℓ/min*

Queen's



SPJ-5463

Queen's Bath Spout with Diverter & Wall Flange
Flow rate: 32.29 ℓ/min*



SPJ-

Queen's Bath Spout with Wall Flange
Flow rate: 47 ℓ/min*



SPJ-7439

Queen's Bath Spout (20 mm) with Wall Flange
Flow rate: 47.00 ℓ/min*



SPJ-7463

Queen's Bath Spout with Diverter & Wall Flange
Flow rate: 27.75 ℓ/min*

Fusion



SPJ-29429

Fusion Bath Spout with Wall Flange
Flow rate: 36.43 ℓ/min*



SPJ-29463

Fusion Bath Spout with Diverter & Wall Flange
Flow rate: 32.2 ℓ/min*

Fusion



SPJ-29439

Fusion Bath Spout (20 mm) with Wall Flange
Flow rate: 36.43 ℓ/min*

Vignette Prime



SPJ-81429

Vignette Prime Bath Spout with Wall Flange
Flow rate: 22.97 ℓ/min*

Rendezvous



SPJ-81463

Vignette Prime Bath Spout with Diverter & Wall Flange
Flow rate: 20.83 ℓ/min*



SPJ-8429

Rendezvous Bath Spout with Wall Flange
(Also Available in Auric Gold)
Flow rate: 47 ℓ/min*

Continental Prime



SPJ-8463

Rendezvous Bath Spout with Diverter & Wall Flange
(Also Available in Auric Gold)
Flow rate: 35.19 ℓ/min*



SPJ-429PM

Continental Prime Bath Spout with Wall Flange
Flow rate: 22.06 ℓ/min*

D'arc



SPJ-463PM

Continental Prime Bath Spout with Diverter & Wall Flange
Flow rate: 28.22 ℓ/min*



SPJ-37429

D-Shape Bath Spout with Wall Flange



SPJ-37463

D-Shape Bath Spout with Diverter & Wall Flange


BIDSPA

Introducing Jaquar Bidspa WC that adds intelligence to sanitaryware, and offers unmatched convenience, cleanliness and hygiene.




Features

- Futuristic design
- Cutting edge technology
- Touch free
- Smart button
- UV nozzle
- LED light
- Adjustable temperature-water, air & seat
- Smart deodorization
- Automatic flushing
- Bidet & rear wash
- Self cleaning
- 4.8L average flushing volume
- Seat thickness is 6.5cm
- Smart flushing system with brushless motor
- Slim in shape
- Powerful flushing with low noise
- Automatic opening seat & cover
- Foot sensor
- Remote operated



Multi-functional
remote control



Hygienic
anti-bacterial surface



ITS-WHT-89853S300PPPM
Automatic Rimless Floor Mounted WC with Electronic PP Seat Cover, Adjustable Seat, Air, Water temperature, Night light, Fixing Accessories And Accessories Set, Size: 390×685×465 mm, S Trap- 300 mm



ITS-WHT-89853S300PPPMAT
Fully Automatic Rimless Floor Mounted WC with Electronic PP Seat Cover - Auto Open, Adjustable Seat, Air, Water temperature, Night light, Fixing Accessories Set, Size: 390×685×465 mm, S Trap- 300 mm



ITS-WHT-89851S300PP
Bidspa Single Piece WC with Electronic PP Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 360×730×740 mm, S Trap- 300 mm



ITS-WHT-89853S300PP
Bidspa Rimless Single Piece WC with Electronic PP Seat Cover, Hinges, Dual Flush Cistern Fitting, Fixing Accessories and Accessories Set, Size: 385×720×710 mm, S Trap- 300 mm



ITS-WHT-89953PP
Bidspa Rimless Wall Hung WC with Electronic PP Seat Cover, Hinges, Accessories Set, Size: 390×570×365 mm



ITS-BLM-89853S300PPPMAT
Fully Automatic Rimless Floor Mounted WC with Electronic PP Seat Cover - Auto Open, Adjustable Seat, Air, Water temperature, Night light, Fixing Accessories Set, Size: 390×685×465 mm, S Trap- 300 mm

— DISABLED-FRIENDLY SANITARYWARE





DIS-WHT-93801
Wall Hung Basin with
Fixing Accessories,
Size: 650×565×155 mm



DIS-WHT-93951UF
Wall Hung WC with UF Soft
Close Seat Cover, Hinges and
Accessories Set,
Size: 350×750×340 mm



DIS-WHT-93955P180UF
Rimless Back To Wall WC
with UF Soft Close Seat Cover,
Hinges, Fixing Accessories and
Accessories Set,
Size: 360×515×410 mm,
P Trap- 180 mm



DIS-WHT-93753NP180UFSMZ
Rimless Bowl With Cistern for
Coupled WC with UF Soft Close
Slim Seat Cover, Hinges And Fixing
Accessories, Size: 380×650×790 mm,
P Trap- 180 mm

JAQUAR DESIGNER (JDR)

Modernity Gets New Sophistication



NEW



JDS-WHT-25901
Table Top Basin,
Size: 640×425×155 mm



JDS-WHT-25943
Table Top Basin
Size: 640×500×130 mm



JDS-WHT-25903
Table Top Basin,
Size: 480×470×195 mm



JDS-WHT-25905
Table Top Basin,
Size: 450×450×170 mm



JDS-WHT-25907N
Thin Rim Table Top Basin,
Size: 530×420×140 mm,
Shape - Rectangular



JDS-WHM-25907N
Thin Rim Table Top Basin In
White Matt,
Size: 530×420×140 mm,
Shape - Rectangular



JDS-BLM-25907N
Thin Rim Table Top Basin In
Black Matt,
Size: 530×420×140 mm,
Shape - Rectangular



JDS-WHT-25909
Thin Rim Table Top Basin,
Size: 495×395×150 mm,
Shape - Rectangular



JDS-WHT-25911
Thin Rim Table Top Basin,
Size: 420×420×150 mm,
Shape - Square



JDS-WHM-25911
Thin Rim Table Top Basin In
White Matt,
Size: 420×420×150 mm,
Shape - Square



JDS-BLM-25911
Thin Rim Table Top Basin In
Black Matt,
Size: 420×420×150 mm,
Shape - Square



JDS-WHT-25935
Table Top Basin,
Size: 460×460×170 mm



JDS-WHT-25937
Thin Rim Table Top Basin,
Size: 500×380×120 mm,
Shape - Oval



JDS-WHT-25939
Thin Rim Table Top Basin,
Size: 455×455×110 mm,
Shape - Round



JDS-WHT-25503
Semi Recessed Basin,
Size: 510×450×175 mm



JDS-WHT-25841
Wall Hung Corner Basin With
Fixing Accessories,
Size: 315×450×175 mm

JDR - JAQUAR DESIGNER RANGE



JDS-WHT-25505
Semi Recessed Basin,
Size: 505×425×125 mm



JDS-WHT-25801
Table Top Basin,
Size: 460×265×110 mm

— URINALS



URINALS



URS-WHT-13253N
Urinal (Back Inlet) with
Fixing Accessories,
Size: 385×325×635 mm



URS-WHT-13255
Urinal without Sensor with
Fixing Accessories,
Size: 480×300×740 mm



URS-WHT-13263
Urinal (Back Inlet) with
Fixing Accessories,
Size: 340×325×650 mm



URS-WHT-13261H
Urinal with Spreader Hole
and Fixing Accessories,
Size: 355×340×535 mm



URS-WHT-13261
Urinal with Fixing
Accessories,
Size: 355×340×535 mm