

---

# WASHROOM ACCESSORIES





# WASHROOM ACCESSORIES

Jaquar's high-performance washroom accessories are specially designed for use in premium public facilities.

- Created in technical collaboration with the world-renowned Mediclinics, Spain
- The range includes state-of-the-art Hand Dryers, Soap Dispensers and Paper Towel Dispensers, among others

## Quick Guide



Low  
traffic



Medium  
traffic



High  
traffic



Electrical  
protection



Low electricity  
consumption  
eco-efficient  
hand dryer



Value for  
money



Vandal-proof



Lock with  
key



Nuts and  
bolts  
included



Biocote



ADA standard



UNE standard



Units per box

## Hand Dryer



### HDR-SLV-AK2030

Nuovo dualflow touch-free infrared hand dryer with intelligent LED display, 1850W rated power, DC brushless motor & double HEPA filter



### HDR-SSF-AK2803D

Bolt touch-free infrared hand dryer with 1150W rated power & carbon brush motor



### HDR-SSF-AK2807

Flash touch-free infrared hand dryer with 1150W rated power & carbon brush motor

## Soap Dispenser - Push Button



### SDR-WHT-DJ0010FN

Soap Dispenser - Push Button, Capacity: 0.8L, Material: ABS, Finish: White / Smoked



## Soap Dispenser - Automatic



### SDR-BLC-DJ0160ASN

Soap Dispenser - Automatic, Capacity: 0.8L, Material: Aluminium / ABS, Finish: Chrome / Black

Also available

### SDR-BLC-DJ0160ASE

Soap Dispenser With (9V Transformer) – Automatic

## Paper Towel Dispenser - Towels with c/z Folds - Wall Mounted



### PTD-SAP-DT0106CSN

Paper Towel Dispensers Towels With C / Z Folds - Wall Mounted, Capacity: 400-600 C / Z towels, Material: AISI 304 Stainless Steel, Finish: Satin

## ACCESSORIES (FOR DISABLED-FRIENDLY BATHROOMS)

### Stainless Steel



**WAC-SAP-BR0600CSN**  
Grab Bar 680mm Long



**WAC-SAP-BG0800CSN**  
Grab Bar Vertical Swing

### White Epoxy



**WAC-WHT-BR0600N**  
Grab Bar 680mm Long



**WAC-WHT-BG0800N**  
Grab Bar Vertical Swing

### Black Matt



**WAC-BLM-BR0600N**  
Grab Bar 680mm Long



**WAC-BLM-BG0800N**  
Grab Bar Vertical Swing

Jaquar has an ongoing policy of design, development and improvement and thus reserves the right to modify specification and prices without any prior notice.



# EXPERIENCE JAQUAR IN 3D

Log on to our website  
[www.jaquar.com](http://www.jaquar.com)



Select your Region




Select the Product Category,  
the Sub-brand and  
the specific product



Click on 3D Warehouse



Get a 360° view of your  
chosen product



# Glossary

**Adjustable Exposed Shower Pipe:** An attachment to the exposed shower mixer which allows the showerhead to be adjusted to different heights.

**Aerator:** A device located in the faucet spout that mixes air with water. It is made by using a restrictor that limits the flow of water while increasing water pressure.

**Angle Stop:** The shut-off valve between the water pipes and the faucet. The inlet connects to the water supply pipe in the wall and it angles up 90 degrees to the faucet.

**Anti-Scald:** A valve which monitors the temperature of water coming out to minimise the risk of scalding.

**Basin Mixer:** A basin tap that will mix hot and cold water and deliver it through a single spout.

**Bath Filler:** Like a basin mixer, a bath filler will mix hot and cold water and deliver it through a single spout.

**Bath Shower Mixer:** A bath tap fixture which incorporates a shower attachment.

**Bath Tub Spout:** An output device through which water flows to fill a tub. A valve controls the flow.

**Bib Tap:** A tap with a nozzle that is bent downward and supplied with water through a horizontal inlet.

**Bidet:** A low height washbasin, specially designed for washing certain parts of the body for personal hygiene.

**Body Shower:** A mini-shower head that delivers water from a vertical position in the shower. It often targets specific areas of the body and offers a precise therapeutic and invigorating massage.

**Cartridge:** A part of the valve that controls the On/Off function and allows water to flow.

**Central Hole Basin Mixer:** A one-piece fitting with two handles. Hot and cold water are mixed and delivered through a single spout.

**Ceramic Disc:** Two pieces of ceramic within the valve that open and close to allow control over flow volume.

**Chromotherapy:** A system of directing light sequences on or around the body to promote relaxation.

**Cistern:** The ceramic or plastic vessel that stores the water necessary for flushing a toilet.

**Click-Clack Waste:** A fitted alternative to a plug that you touch and click to drain the water

**In-wall Cistern:** A cistern that is hidden from view behind a false wall.

**In-wall Shower Mixer:** A shower control hidden within a finished wall, with only the operating lever and wall flange visible.

**Couple Closet:** A style of toilet where the cistern attaches directly to the pan.

**Deck/Table Mounted Tap:** A tap that sits on the rim of a washbasin or bath (as opposed to being wall mounted).

**Diverter Valve:** A valve designed to direct, or redirect, mixed water to a specific location.

**Diverter:** A shower control that will 'divert' the water flow to an additional hand shower or to an over head shower from a bath and shower mixer/diverter.

**3-Inlet Diverter:** Used where a customer has 3 pipelines installed in the bathroom: Hot (Geyser), Cold (Overhead Tank) and Fresh (direct from Municipal Corporation/Submersible).

**Dual-Flush:** A cistern that offers two flushing strengths - a full-volume flush or a half-volume flush to save water.

**Electronic Flush:** A hands-free, hygienic and water saving flush that's perfect for both public and private installations. It uses a beam of infrared light to switch on and switch off the water flow.

**Face/Spray Plate:** A plate with holes or slots through which water passes to form a spray with separate, definable jets or water droplets.

**Fixed Head Shower:** A shower head that is fixed to the wall with in-wall pipe work.

**Fixture:** Anything that accepts or discharges water or wastewater: faucets, sinks, toilets, tubs.

**Flange:** Non-threaded piece that goes over the pipe coming out of the wall and covers the hole in the wall.

**Flow Rate:** Measurement of water flow through a plumbing system in gallons per minutes (GPM) or gallons per hour (GPH).

**Flush Valve:** The valve located at the bottom of a gravity operated toilet flush tank that opens when the trip lever is actuated and closes when the tank has drained to the desired level. It usually contains an overflow tube as well.

**Gasket:** A flat piece of fibre or rubber used to provide a watertight seal between metal joints.

**Gray Water:** Wastewater from fixtures other than toilets.

**Hand Shower:** A detachable shower head with an integral handle and a flexible hose that allows the water spray to be directed onto any part of the body by hand.

**Handle:** The trim piece on the faucet that turns the stem on the cartridge.

**Hi-flow Diverter:** It delivers a high-flow rate to quickly fill your bath. Ideal for use on the top floor of buildings where there's less water pressure.

**Hard Water:** Natural water containing impurities in various proportions. Traditional hardness is a measure of calcium, minerals or dissolved solids in a solution, measured in parts per million. Hard water generally ranges from 100 to 250 ppm.

**Mono Block:** A toilet in which the tank and bowl are manufactured as a single vitreous china fixture. Typically, Mono Block toilets have a lower profile than Couple Closet toilets.

**O-Ring:** A rubber washer that is round instead of flat. Used in valve stems to create a watertight seal.

**Overhead Shower:** Shower outlets which direct water onto the user from

above the head

**Pillar Tap:** A tap which does not allow for temperature regulation by the user. Pillar taps are supplied with water through a vertical inlet.

**Pop-up Waste:** An alternative to traditional plugs, a pop-up waste comprises of a stopper connected by levers to a control knob on the tap. When the knob is pushed down the stopper is lifted to allow water to drain away. When the knob is pulled up the stopper seals the plug hole.

**PVC:** Acronym for Polyvinyl-Chloride. Usually refers to a rigid white plastic pipe made of this material, used for bathroom drain, waste and vent pipes.

**Quarter Turn Taps:** Taps which can be turned fully on or off by turning the handle through just 90 degrees. Ceramic discs inside the tap allow extreme controllability of water flow rate, provide a smooth, quiet action and great resistance to wear.

**Reducer:** A fitting that allows pipes of different sizes to be joined together.

**Relief Valve:** A valve that opens to relieve excess temperature and/or pressure in the system.

**Scale:** A thin coating or layer, usually of calcium, on the bottom of a tank or interior parts that may prevent heat transfer.

**Sediment:** The substance that settles at the bottom of a water tank.

**Shower Arm:** A component which supports a shower head and connects it to the water supply.

**Shower Hose:** A flexible pipe that connects the shower head and the shower control.

**Shower Mixer:** A shower that mixes hot and cold water and supplies it together to achieve the required temperature.

**Shower Outlet:** A fixture which allows water to be emitted in the form of jets or water droplets.

**Single Lever:** Taps which incorporate the opening, closing and mixing of hot and cold water with one lever. Move the lever up to open the tap and down to close. To alter the water temperature, the lever is moved from left to right or vice versa.

**Slide Rail:** A vertical rail to allow height adjustment of a shower head.

**Soft Water:** Water that has been treated so that it has low mineral content.

**Stop Cock:** A simple, hand operated tap that turns the water flow off and on.

**Tap:** Tap is synonymous with faucet. Tap also refers to the divergence of water from one fitting to another.

**Tall Boy:** A single lever basin mixer with a higher spout. Used for countertop basins where the faucet is not installed directly on the ceramics, but on the vanity (or a separate shelf). The shaft must be longer for the water to flow into the basin at a comfortable distance, and it is significantly higher than the rim of the basin.

**Thermostatic:** Mixer taps that automatically maintain a constant temperature irrespective of the variations in the water pressure and the temperature of the hot and cold water supply. They have a cartridge or thermostatic element, a control for selecting the temperature and feature a safety stop that prevents scalding.

**Thermostatic Bath & Shower Mixer:** Gives precise and regulated control of the water temperature as well as flow. Sudden temperature changes are prevented, making the bath and shower experience consistent and enjoyable at all times.

**Three Hole Mixer Tap:** A faucet fixture with separate hot and cold water handles to blend water through a third central spout.

**Three-Handle:** Three-handle faucets also use separate handles for hot and cold water, but have an additional handle to divert the water from bath spout to shower head.

**Trap:** A curved section of drain that traps a small portion of water to prevent sewer gases from escaping into the bathroom. "P" traps and "S" traps are the types of traps most commonly found in bathrooms.

**Two-Handle:** Two-handle faucets feature separate handles to control hot and cold water temperature.

**Urinal:** A plumbing fixture only for receiving liquid body waste (urine) which is then conveyed through a trap seal into a gravity drainage system.

**Vacuum Breaker:** A device that prevents the backward flow of contaminated water into clean water supply.

**Valve:** A device that regulates the flow, water temperature and/or volume of water.

**Wall Bracket/Handset Holder:** A device for holding a shower handset at a fixed height position such that the hands of the user are free. It also allows angular movement which enables the water spray trajectory to be adjusted.

**Wall Hung:** The toilet cistern is in-wall, behind a wall or inside bathroom furniture and the pan protrudes from the wall, above the floor. Basins and bidets can also be wall hung. The height can be fixed to suit the comfort of users.

**Wall Mount Tap:** Used with washbasins or baths which have no tap holes. The handle and spout protrude from the wall above the basin or bath and the pipework is hidden behind the wall.

**Wall Mixture:** Exposed wall mounted mixer that can divert water to either the spout or the shower head.

**Wall Mixture Non-Telephonic:** Exposed wall mounted mixer that can deliver water through spout only.

**Wall Mixture 3-in-1:** Exposed wall mounted mixer that can divert water to three different outputs- spout, overhead shower and hand shower.

**Water Closet:** A plumbing fixture that has a receptacle with water to receive liquid and solid body waste. Upon actuation (flushing), it discharges the waste through a trapway into a gravity drainage system.

## Warranty Information

| Warranty Description                                                                                                                                                      | Product Category     | Name of the Jaquar Products or Parts                                                                                                                                                                                                                | Warranty - In Years      |                 |                  |                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------|------------------|----------------------------|
| The products are warranted against any manufacturing defect specified under the warranty period subject to terms and conditions specified in this warranty certification. | Faucets              | Faucet, Accessory (Only Metal Parts) & Braided Hose<br>Sensor Faucet<br>Electronic/Electrical assembly for Sensor Faucet<br>Showertronic<br>Faucets with color finish only                                                                          | 10<br>5<br>5<br>5<br>5   |                 |                  |                            |
|                                                                                                                                                                           | Flushing Systems     | Flush Valve<br>Concealed Cistern - Body & Working Mechanism<br>Wall Hung Cistern<br>Sensor based Flushing System - Body, Electronic / Electrical Assembly                                                                                           | 10<br>7<br>2<br>5        |                 |                  |                            |
|                                                                                                                                                                           | Sanitary Ware        | Ceramic Body<br>Mechanical Parts<br>UF Seat Cover<br>PP Seat Cover                                                                                                                                                                                  | 10<br>2<br>5<br>2        |                 |                  |                            |
|                                                                                                                                                                           | Wellness             | Electrical & electronic parts in all products<br>Free standing tub, bath tub, Whirlpool, SPA, Steam Cabin, Sauna, Shower Panel :<br>parts other than electrical & electronics parts<br>SPA - shell<br>Steam generator<br>Filter & other consumables | 2<br>5<br>10<br>2<br>Nil |                 |                  |                            |
|                                                                                                                                                                           | Washroom Accessories | Hand Dryer, Soap Dispenser, Paper Towel Dispenser                                                                                                                                                                                                   | 2                        |                 |                  |                            |
|                                                                                                                                                                           |                      |                                                                                                                                                                                                                                                     |                          |                 |                  |                            |
|                                                                                                                                                                           |                      |                                                                                                                                                                                                                                                     |                          |                 |                  |                            |
|                                                                                                                                                                           | Product Category     | Brand & Product                                                                                                                                                                                                                                     | Warranty - In Years      |                 |                  |                            |
|                                                                                                                                                                           |                      |                                                                                                                                                                                                                                                     | Tank                     | Heating Element | Other spare part | Compressor & sealed system |
|                                                                                                                                                                           | Hot Water Solution   | Jaquar - Instant                                                                                                                                                                                                                                    | 5                        | 2               | 2                | NA                         |
|                                                                                                                                                                           |                      | Jaquar - Storage upto 100L                                                                                                                                                                                                                          | 7                        | 4               | 2                | NA                         |
|                                                                                                                                                                           |                      | Jaquar - Storage above 100L                                                                                                                                                                                                                         | 3                        | 3               | 3                | NA                         |
|                                                                                                                                                                           |                      | Jaquar - Tank Less                                                                                                                                                                                                                                  | NA                       | 3               | 1                | NA                         |
|                                                                                                                                                                           |                      | Jaquar - Heat pump                                                                                                                                                                                                                                  | 4                        | 2               | 1                | 2                          |
|                                                                                                                                                                           |                      | Jaquar - Gas geyser                                                                                                                                                                                                                                 | 1                        | NA              | 1                | NA                         |
|                                                                                                                                                                           |                      | Essco - Instant & storage upto 100L                                                                                                                                                                                                                 | 5                        | 2               | 2                | NA                         |

Our warranty does not cover certain product consumables like batteries or fragile items like glass

### MAINTENANCE GUIDELINES FOR JAQUAR PRODUCT

Kindly follow the guidelines mentioned below to give you the best results and to maintain the finishes and longevity of the product.

- Clean the product with water-soaked soft towel or bathing soap solution once in a day or two to keep the plated surface clean and free from any deposits.
- Don't use any type of cleaning/detergent agents which contain acids or chemicals such as flush cleaner, tile cleaner etc.
- Don't use salt or vinegar-based cleaning agents to remove scale or scale-related stains. They may damage the surface or finish of products.
- Special color combination products should not be rubbed by Emery paper/cleaning powder. This can cause abrasion.

**You need to protect your product from:**

1. **Water Scaling:** Due to presence of minerals and salt in water, scaling is formed on the product if it is not cleaned regularly. The products should be cleaned gently at regular intervals. Also, take extra care to clean the edges and corners of the products because these areas are more vulnerable for scale settling. Clean the aerators from time to time for a perfect foam flow of water from the fittings. The property of water being used is very important for your plumbing installations (Pipes etc.), as well as for your own hygiene. The hardness of water should not exceed 300-400ppm.
2. **Acid Fumes:** When we clean the tiles or floors in the bathroom with cleaning agents which contain acids or chemicals, acid fumes are formed. Because the basic material used in the products is brass, brass being an alloy of copper reacts with these acid fumes. With this reaction, a green colour layer is formed on the products resulting in damage to the outer finish or coating.
3. **Scratching while cleaning:** Scratching or scrubbing occurs due to hard nature of cloth or coarse cleaning powder being used for cleaning. Use a gentle fluffy soft cloth for cleaning the surface.
4. **Atmospheric conditions:** This condition applies mostly to salt content in the air in coastal areas, sometime the air reacts with brass and black spots emerge on the surface of product. Therefore, the product is required to be cleaned regularly. At the time of installation of these products, cover the products with the cloth covers provided in packaging or with polythene till the time you actually start using them.

### CARE AND CLEANING GUIDELINES FOR SANITARYWARE PRODUCTS

Vitreous china sanitaryware products are fragile in nature and need to be handled with care (to avoid personal injury) at all times during its storage, handling, installation and use thereafter.

- The wash basin and water closet are heavy and it is recommended that two persons hold it while it is being fixed.
- Carefully inspect the new product for damage before installation.
- Risk of product damage. Over tightening may cause breakage or chipping of vitreous china.
- Risk of external leakage. Do not lift or rock the bowl after placement.
- Always test product cleaning solution on an inconspicuous area on the product before applying it to the entire surface.
- Do not allow cleaners to sit or soak on the product.
- Use a soft, dampened sponge or cloth to clean. Never use abrasive material like a bristle brush or scouring pad.
- Wipe surfaces clean and rinse completely with water immediately after applying cleaners.

## WARRANTY TERMS & CONDITIONS:

1. Warranty is offered by Jaquar & Company Pvt. Ltd (hereinafter referred as company) as warranty on all its products as per warranty period ONSITE. The warranty period varies from product to product. Kindly refer Warranty Certificate for details.
2. The foregoing warranty constitutes Jaquar's sole warranty and Jaquar gives no warranty, express or implied, including warranties of fitness for a particular purpose and warranties of merchantability and there are no warranties which extend to use of the company's Products for the purposes beyond description and further company neither assumes nor makes nor authorizes any person to make representation that the product is of any particular quality or standard or is suitable for any particular purpose.
3. This warranty shall be governed by the laws of the land wherein the sale of the product is affected. The Courts within whose territorial jurisdiction such sale is affected shall have the exclusive jurisdiction to entertain any dispute regarding or arising out of this warranty and/ or the sale of this product. Any claim of defect or replacement or any other complaint under this Limited Warranty Certificate shall be made to such Official Distributor/ Dealer Provider of the Company in the Country where the sale is finalised. The warranty for this product shall be valid only if the product has been purchased through an Official Distributor/ Dealer.
4. This original certificate must be preserved by the customer and produced whenever required.
5. During the warranty period and under normal use, if the product / component / part is found to be of faulty due to manufacturing defect, the same will be repaired or replaced upon production of this warranty certificate, without charges either for part or labor or both, the decision of company official will be final for fault qualifies for warranty.
6. Warranty remains applicable only if the products have at all times been used strictly in accordance with the terms of this warranty and has not been improperly or negligently handled and is not maintained in accordance to maintenance guidelines given.
7. In the event of non-availability of components or parts due to any reason whatsoever Company or its Authorized Service provider or the Dealer will not be responsible or liable for any delay that may be caused to service/repair of the Products; no claims financial or otherwise will be entertained.
8. Warranty on Wellness Products against defects in material or workmanship as follows: Company will repair at no charge for parts only or, at its option, replace any product or part which proves defective because of improper workmanship and/ or material, under normal installation, use, service and maintenance.
9. Company and customer agree that company will not be liable for any damages whatsoever arising out of use or inability to use its Company's Products. Jaquar bears no responsibility for incidental or consequential damages arising out of use or inability to use Company Product.
10. Company and customer agree that Company shall have no liability for any cargo loss, loss of use or any incidental or consequential damages arising out of this order which are alleged to have been caused by any of the goods delivered hereunder.
11. By purchasing this product, customer agrees to Company's aforesaid warranty on the product.
12. Company neither assumes nor authorizes any person to assume for us any other obligation or liability in connection with sale of this product.
13. Under no circumstances shall Jaquar be responsible for any incidental or consequential or any other damage or cost or expense, including but not limited to loss of profit or removal, transportation, handling or re-fixing costs and expenses.
14. Customer and Company agree that customer's sole remedy for any defects in goods hereunder shall be limited to the repair or replacement at the Company's option within warranty period after delivery of such goods to the first purchaser, of any defective goods, of which notice of defects is given by the Customer to the Company in accordance with terms of this warranty certificate. The part/product against replaced part/product will be property of Company.
15. Company Shall not be liable to Customer claiming the warranty under the terms of condition of this Limited Warranty Certificate, due to defects caused by rodents/pets or in the events of force majeure. The Force Majeure means any disaster, act of God or the public enemy, any accident, explosion, fire, storm, earthquake, electric storms, tornado, flood, casualty, lockout, strike, labour conditions, unavoidable accident, nuclear explosion, national calamity, or any other circumstance or event or by any enactment of law, or by order of any legally constituted authority, or by any other similar cause of the Company or beyond the reasonable control of the party relying upon such circumstance or event.
16. Company and customer agree that Jaquar bears no responsibility for incidental and / or consequential damage arising out of use and for inability to use a product. Company liability will be limited and restricted to the product replacement/value of the product sold. Company under all circumstances shall not be liable to uninstall the defective product or installed replacement product. In case replacement is the only option then the customer has to hand over the defective product to the seller from whom it was purchased and take the replacement product from there.
17. In order to claim warranty, this Limited Warranty Certificate, duly filled, stamped and signed by the Dealer must be submitted along with product on which warranty claim is made to attending authorized service personnel.

## NOTWITHSTANDING THE ABOVE, THE FOREGOING WARRANTY SHALL NOT APPLY TO THE FOLLOWING:

1. Any defect or damage caused to the product due to natural wear and tear.
2. Any defect or damage arising from reasons attributable to the purchaser/ third party, including without limitation willful actions, negligence, mishandling, improper storage, improper fitting, misuse or improper repair, faulty installation, negligence, accidents and repairs by unauthorized person or maintenance practices and/ or used in any manner contrary to any written instructions provided by Jaquar; however the certificate entitles the customer to seek training for his plumber from nearest Jaquar office.
3. Any other defect or damage occurring or being notified after the expiry of Warranty Period, including but not limited to any latent defect.
4. The problems arising from inadequate water pressure, water impurities or improper care and cleaning and Voltage fluctuations.
5. In line water filters, should be used with Faucets so that any damage to ceramic cartridges without the use of in line filters will void warranty.
6. Intentional and Accidental use of cleaners containing abrasive cleansers, ammonia, bleach, hair dye, acids, waxes, alcohol, solvents, bath oil, bath salts or other products not recommended for Color and Coating and due to Improper cleaning or cleaning with coarse cloth also for fading of any material due to sun or chemical exposure.
7. Any goods which after delivery hereunder have been repaired or modified or altered by anyone other than that has been authorized and approved by the Jaquar.
8. This warranty does not cover installation or any other labour charges associated with the job work or re-installation of Jaquar products.
9. When the product is not operated in accordance with the instructions concerning use and operating.
10. Damage to any products based on or resulting from installation or repair, misuse or abuse or alteration or adjustment, whether performance by a contractor, service company or yourself.
11. Damage resulting from failing to reasonably clean, care for or maintain a product.
12. This warranty does not cover the damages as a result of disaster such as fire or acts of God, including flooding, earthquake, or electric storms and other Force Measure.

## Notwithstanding the above, the foregoing warranty shall not apply to the below mentioned conditions Related to Geysers:


1. Element bust and component failure due to calcium deposition.
2. Claim related to Shock coming from Faucets due to improper earth line.
3. Any damage to the unit, if safety valve & Proper rating of MCB was not installed.
4. Poor Installation resulting from not following and implementing the standard instruction and guidelines issued with product.
5. Leakage due to Poor quality of Braided hose, angle valve, in out knob if not from Jaquar Brand.
6. In extreme cold condition drain out water from water heater through safety valve after use. Don't allow water to freeze in the tank.
7. If anode rod, the consumable, is not replaced with new anode rod.

## Notwithstanding the above, the foregoing warranty shall not apply to the below mentioned conditions Related to Concealed Cisterns, Bathtubs, Whirlpool, and Steam Enclosures & Glass Shower Enclosures for the following:

1. Damage to the finish of fittings or accessories caused by the use of cleaning solvents/chemicals or improper cleaning methods.
2. Damage resulting from the use of chloramines, excessive concentration of chlorine in water.
3. Damage in shipping, handling or transportation. Please inspect the unit prior to installation to ensure the unit is free of any defect or damage.
4. The warranty does not cover glass breakage or the coating on the glass. By its nature, all glass has the potential to shatter; therefore, Jaquar use only toughened safety glass.

Blank lined paper for writing.





[global.jaquar.com](http://global.jaquar.com)