
WATER HEATERS

Gas | Electric | Instant



Why Jaquar Water Heaters

Water heaters that gives you more.

To ensure that they are worthy of the trust that is placed by customers in every Jaquar product, a whole range of safety, longevity and energy efficient features have been built in to these water heaters:

1) MORE SAFETY

- Double Safety Thermostat – dual overheating control mechanism cuts off power automatically even if primary cut off fails
- Multi-function Safety Valve – discharges water and acts as a non-return valve if pressure or temperature exceed preset limits



Multi Function
Safety Valve



Double Safety
Thermostat



Earth Leakage
Circuit Breaker

2) MORE LIFE

- Superior Quality Glass-lined Inner Tank – prevents rust, corrosion and prolongs the life of the inner tank
- Single/Dual Glass-coated Incoloy Heating Elements – made of high quality steel for quicker heating and to prevent scale formation



High Quality
Glass Lined Heating Element

3) MORE SAVINGS

- High Density Insulation – CFC-free PUF insulation, with added thickness to minimise heat loss and maximise energy savings
- Cathodic Protection – a sacrificial Magnesium Anode protects and saves the tank from electrochemical reactions during water heating



Energy Saving
High Density
PUF Insulation



Cathodic
Protection

4) ATTRACTIVE DIGITAL FEATURES

- Cordless Remote: Wireless remote control for operational ease
- Full Digital Display
- On/Off Timer
- Clock Temperature Setting



Cordless
Remote



Digital Controls
and Display

*Available in Erica (Digital) 15/25L,

5) TRUST OF JAQUAR

- Quality sets Jaquar apart. The high standards of our products have cemented our reputation as the most valued premium brand in the bathing industry

6) UNMATCHED CUSTOMER SERVICE

- Jaquar Water Heaters come with a warranty along with service back-up. Jaquar also offers a Preventive Maintenance Service for hassle-free bathrooms

How to select your water heater on the basis of capacity

ELECTRIC

Capacity (in litres)																	
Model	1	3	6	10	15	20	25	30	40	50	60	80	100	200	300	400	500
Insta	✓	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Elena (Manual)	-	-	✓	✓	✓	-	✓	-	-	-	-	-	-	-	-	-	-
Erica (Manual)	-	-	✓	✓	✓	-	✓	-	-	-	-	-	-	-	-	-	-
Erica (Digital)	-	-	-	-	✓	-	✓	-	-	-	-	-	-	-	-	-	-
Elena Prime	-	-	✓	✓	✓	-	✓	-	-	-	-	-	-	-	-	-	-
Meta (Manual)	-	-	✓	✓	✓	-	✓	-	-	-	-	-	-	-	-	-	-
Elena Horizontal	-	-	-	-	✓	-	✓	-	-	-	-	-	-	-	-	-	-
Verna (Floor Mounted)	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	✓	✓	✓
Versa Vertical (VME)	-	-	-	-	-	-	-	✓	-	✓	-	✓	✓	-	-	-	-
Versa Horizontal (VME)	-	-	-	-	-	-	-	✓	-	✓	-	✓	✓	-	-	-	-

Choose the right water heater for your needs:

INSTA ELECTRIC	ELENA(Vertical /Horizontal) ELENA PRIME/ ERICA, META	ERICA DIGITAL	VERSA (VME) (Horizontal/Vertical Model)				VERNA FLOOR MOUNTING
1 & 3	6,10,15 & 25	15 & 25	40	60	80	100	200, 300 400 & 500
 WALL MOUNTED	 WALL MOUNTED	 WALL MOUNTED	 WALL MOUNTED	 WALL MOUNTED	 WALL MOUNTED	 WALL MOUNTED	 FLOOR MOUNTED
 BUCKET BATH/ KITCHEN	 BUCKET BATH/ KITCHEN	 SHOWER	 SHOWER	 SHOWER PANELS	 BATHTUB	 WHIRLPOOL	 WHIRLPOOL/ SPA
 SMALL FAMILY	 SMALL FAMILY	 SMALL FAMILY	 LARGE FAMILY	 LARGE FAMILY	 LARGE FAMILY	 LARGE FAMILY	 LARGE FAMILY/ MULTIPLE BATHROOMS
 NO REMOTE	 NO REMOTE	 CORDLESS REMOTE	 NO REMOTE	 NO REMOTE	 NO REMOTE	 NO REMOTE	 NO REMOTE

Available in 1/3 litres

Instant Electric Water Heater With 3 kW/4.5 kW Heating Element,
1/3 Litre Capacity Vertical Installation

Product Specifications

Details		Instant				
Volume (L)		1/3				
Rated Wattage		3/4.5 kW				
Required Power Supply (V/Hz)		230/50				
Temperature Range		25°C to 75°C				
Working Pressure (Mpa)		6.5 Bar				
Inlet / Outlet Connection (Inch)		1/2				
Inner Container Material		Stainless Steel				
Warranty		5 Years on Tank				
		2 Years on Heating Element				
		2 Years on Other Parts				
Product Dimensions (in mm)		Code	W	H	D	
		INS-WHT-3KW01	1 Litre	200	330	150
		INS-WHT-3KW03	3 Litres	230	370	200
		INS-WHT-4.5KW01	1 Litre	200	330	150
		INS-WHT-4.5KW03	3 Litres	230	370	200

Recommended for: Kitchen / Bucket Baths



(With Euro Plug)

Available in 1/3 litres

Instant Electric Water Heater With 3 kW/4.5 kW Heating Element, Euro Plug 1/3 Litre
Capacity Vertical Installation

Product Specifications

Details		Instant				
Volume (L)		1/3				
Rated Wattage		3/4.5 kW				
Required Power Supply (V/Hz)		230/50				
Temperature Range		25°C to 75°C				
Working Pressure (Mpa)		6.5 Bar				
Inlet / Outlet Connection (Inch)		1/2				
Inner Container Material		Stainless Steel				
Warranty		5 Years on Tank				
		2 Years on Heating Element				
		2 Years on Other Parts				
Product Dimensions (in mm)		Code	W	H	D	
		INS-WHT-E3KW01	1 Litre	200	330	150
		INS-WHT-E3KW03	3 Litres	230	370	200
		INS-WHT-E4.5KW01	1 Litre	200	330	150
		INS-WHT-E4.5KW03	3 Litres	230	370	200

Recommended for: Kitchen / Bucket Baths



Available in 6/10/15/25 litres

Elena Prime Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details	Elena Prime (Manual)				
Volume (L)	6/10/15/25				
Rated Wattage	2 kW				
Required Power Supply (V/Hz)	230/50				
Temperature Range	25°C to 75°C				
Working Pressure (Mpa)	0.8				
Inlet / Outlet Connection (Inch)	1/2				
Warranty	7 Years on Tank				
	4 Years on Heating Element				
	2 Years on Other Parts				
Product Dimensions (in mm)	Code	W	H	D	
	EPM-WHT-V006	6 Litres	316	316	273
	EPM-WHT-V010	10 Litres	366	366	285
	EPM-WHT-V015	15 Litres	402	402	312
	EPM-WHT-V025	25 Litres	452	452	369



Recommended for: Kitchen / Bucket Baths / Overhead Showers

ELENA VERTICAL (Manual)

Available in 6/10/15/25 litres

Elena Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details	Elena Vertical (Manual)				
Volume (L)	6/10/15/25				
Rated Wattage	2kW				
Required Power Supply (V/Hz)	230/50				
Temperature Range	25°C to 75°C				
Working Pressure (Mpa)	0.8				
Inlet / Outlet Connection (Inch)	1/2				
Warranty	7 Years on Tank				
	4 Years on Heating Element				
	2 Years on Other Parts				
Product Dimensions (in mm)	Code	W	H	D	
	ELM-WHT-V006	6 Litres	288	288	260
	ELM-WHT-V010	10 Litres	328	328	295
	ELM-WHT-V015	15 Litres	385	385	305
	ELM-WHT-V025	25 Litres	448	448	345



Recommended for: Kitchen / Bucket Baths / Overhead Showers

ELENA MANUAL - HORIZONTAL

Available in 15/25 litres

Elena Manual Storage Water Heater 15/25 Litre Capacity Horizontal Installation also available in with inlet and outlet on left hand side

Product Specifications

Details		Elena Manual (Horizontal)		
Volume (L)		15/25		
Rated Wattage		2 kW		
Required Power Supply (V/Hz)		230/50		
Temperature Range		25°C to 75°C		
Working Pressure (Mpa)		0.8		
Inlet / Outlet Connection (Inch)		1/2		
Warranty		7 Years on Tank		
		4 Years on Heating Element		
		2 Years on Other Parts		
Product Dimensions (in mm)			W	H
Inlet / Outlet right hand side	Code			
	ELM-WHT-H015	15 Litre	510	320
	ELM-WHT-H025	25 Litres	747	320
Product Dimensions (in mm)			W	H
Inlet / Outlet left hand side	Code			
	ELM-WHT-LHS015	15 Litre	510	320
	ELM-WHT-LHS025	25 Litres	747	320



Recommended for: Kitchen / Bucket Baths / Overhead Showers
Available with inlet/outlet on left hand side (LHS) and right hand side (RHS), ideal for installation above false ceilings.

ERICA VERTICAL (Manual)

Available in 6/10/15/25 litres

Erica Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Erica Vertical (Manual)				
Volume (L)		6/10/15/25				
Rated Wattage		2 kW				
Required Power Supply (V/Hz)		230/50				
Temperature Range		25°C to 75°C				
Working Pressure (Mpa)		0.8				
Inlet / Outlet Connection (Inch)		1/2				
Warranty		7 Years on Tank				
		4 Years on Heating Element				
		2 Years on Other Parts				
Product Dimensions (in mm)		Code	W	H	D	
		ERM-WHT-V006	6 Litres	300	300	285
		ERM-WHT-V010	10 Litres	340	340	328
		ERM-WHT-V015	15 Litres	410	410	336
		ERM-WHT-V025	25 Litres	470	470	375



Recommended for: Kitchen / Bucket Baths / Overhead Showers

ERICA VERTICAL (Digital)

Available in 15/25 litres

Erica Digital Storage Water Heater 15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Erica Vertical (Digital)				
Volume (L)		15/25				
Rated Wattage		1/2/3 kW				
Required Power Supply (V/Hz)		230/50				
Temperature Range		25°C to 75°C				
Working Pressure (Mpa)		0.8				
Inlet / Outlet Connection (Inch)		1/2				
Warranty		7 Years on Tank				
		4 Years on Heating Element				
		2 Years on Other Parts				
Product Dimensions (in mm)		Code	W	H	D	
		ERD-WHT-V015	15 Litres	410	410	334
		ERD-WHT-V025	25 Litres	470	470	371



Recommended for: Kitchen / Bucket Baths / Overhead Showers

VERSA MANUAL - HORIZONTAL (VME)

Available in 30/50/80/100 litres

Versa Manual Storage Water Heater With G Type Plug & Euro Plug 30/50/80/100 Litre Capacity Horizontal Installation

Product Specifications

Details		Versa Manual - Horizontal (VME)			
Volume (L)		30/50/80/100			
Rated Wattage		1.5 kW			
Required Power Supply (V/Hz)		230/50			
Temperature Range		35°C to 75°C			
Working Pressure (Mpa)		0.8			
Inlet / Outlet Connection (Inch)		1/2			
Warranty		7 Years on Tank			
		4 Years on Heating Element			
		2 Years on Other Parts			
Product Dimensions (in mm)		Code	H	W	
		VME-WHT-H030 / VME-WHT-EH030	30 Litres	375	675
		VME-WHT-H050 / VME-WHT-EH050	50 Litres	415	740
		VME-WHT-H080 / VME-WHT-EH080	80 Litres	485	780
		VME-WHT-H100 / VME-WHT-EH100	100 Litres	485	990



Recommended for: Overhead Shower / Shower Panels / Bathtubs

VERSA MANUAL - VERTICAL (VME)

Available in 30/50/80/100 litres

Versa Manual Storage Water Heater With G Type Plug & Euro Plug 30/50/80/100 Litre Capacity Vertical Installation

Product Specifications

Details		Versa Manual - Vertical (VME)		
Volume (L)		30/50/80/100		
Rated Wattage		1.5 kW		
Required Power Supply (V/Hz)		230/50		
Temperature Range		35°C to 75°C		
Working Pressure (Mpa)		0.8		
Inlet / Outlet Connection (Inch)		1/2		
Warranty		7 Years on Tank		
		4 Years on Heating Element		
		2 Years on Other Parts		
Product Dimensions (in mm)	Code		W	H
	VME-WHT-V030 / VME-WHT-EV030	30 Litres	370	715
	VME-WHT-V050 / VME-WHT-EV050	50 Litres	410	770
	VME-WHT-V080 / VME-WHT-EV080	80 Litres	480	810
	VME-WHT-V100 / VME-WHT-EV100	100 Litres	480	1020

Recommended for: Overhead Shower / Shower Panels / Bathtubs



META VERTICAL (Manual)

Available in 6/10/15/25 litres

Meta Manual Storage Water Heater 6/10/15/25 Litre Capacity Vertical Installation

Product Specifications

Details		Meta Vertical (Manual)		
Volume (L)		6/10/15/25		
Rated Wattage		2kW		
Required Power Supply (V/Hz)		230/50		
Temperature Range		25°C to 75°C		
Working Pressure (Mpa)		0.8		
Inlet / Outlet Connection (Inch)		1/2		
Warranty		7 Years on Tank		
		4 Years on Heating Element		
		2 Years on Other Parts		
Product Dimensions (in mm)	Code	L	W	
	MET-WHT-PV006	6 Litres	400	290
	MET-WHT-PV010	10 Litres	495	290
	MET-WHT-PV015	15 Litres	495	340
	MET-WHT-PV025	25 Litres	560	390

Recommended for: Kitchen / Bucket Baths / Overhead Showers




Available in 200/300/400/500 litres

Verna Manual Storage Water Heater 200/300/400/500 Litre Capacity Floor Mounted Installation

Product Specifications

Details		Verna Floor Mounted (Manual)		
Volume (L)		200/300/400/500		
Rated Wattage		200/300/400L - 2.5 kW x 2		
		500L - 3.00 kW x 2		
Required Power Supply (V/Hz)		230/50		
Temperature Range		35°C to 75°C		
Working Pressure (Mpa)		1.0		
Inlet / Outlet Connection (Inch)		3/4		
Warranty		3 Years on Tank		
		3 Years on Heating Element		
		3 Years on Other Parts		
Product Dimensions (in mm)	Code	W	H	
	VRN-GRY-200	200 Litres	540	1575
	VRN-GRY-300	300 Litres	650	1600
	VRN-GRY-400	400 Litres	710	1650
	VRN-GRY-500	500 Litres	710	1999



Recommended as the Centralised Heating Solution for Multiple Bathrooms